

AS Level Chemistry B (Salters)

H033/01 Foundations of chemistry

Friday 26 May 2017 – Morning

Time allowed: 1 hour 30 minutes

You must have:

 the Data Sheet for Chemistry B (Salters) (sent with general stationery)

You may use:

· a scientific or graphical calculator



First name	
Last name	
Centre number	Candidate number

INSTRUCTIONS

- · Use black ink. HB pencil may be used for graphs and diagrams only.
- Complete the boxes above with your name, centre number and candidate number.
- · Answer all the questions.
- Write your answer to each question in the space provided. If additional space is required, use the lined page(s) at the end of this booklet. The question number(s) must be clearly shown.
- Do not write in the barcodes.

INFORMATION

- The total mark for this paper is 70.
- The marks for each question are shown in brackets [].
- This document consists of 20 pages.



1

2

SECTION A

You should spend a maximum of 25 minutes on this section.

Answer all the questions.

Write your answer to each question in the box provided.

How many hydrogen atoms are there in 1 mol of methanol?

Α	3				
3	4				
0	1.8 × 10 ²⁴				
D	2.4 × 10 ²⁴				
Your	answer				
Whic	ch row could be correc	t for solids with th	ne structure type n	amed?	
	Structure type	Melting point	Solubility in water	Electrical conductivity	
Α	ionic	high	soluble	high	
В	metallic	high	insoluble	high	
С	ionic	low	soluble	high	
D	metallic	low	insoluble	low	
	answer tis a correct measure	of percentage ato	m economy?		
A	mass of useful produc	cts × 100/mass of	reactants		
В	amount of products ×	100/amount of rea	actants		
С	$M_{\rm r}$ of products × 100/	$M_{\rm r}$ of reactants			
D	$M_{\rm r}$ of useful products :	× 100/ <i>M</i> _r of reacta	ants		
	answer	·			

4	Wha	at is correct about hydrogen bromide?	
	Α	It reacts with concentrated sulfuric acid to form Br_2 and $\mathrm{H}_2\mathrm{S}$.	
	В	It forms white fumes with ammonia.	
	С	Its $M_{\rm r}$ is 79.9.	
	D	It does not decompose on heating.	
	You	r answer	[1]
5	For	which purpose is distillation used?	
	Α	to allow a liquid to boil without the loss of vapour	
	В	to purify a liquid product	
	С	to remove an involatile impurity	
	D	to allow further reaction without the loss of product	
	You	r answer	[1]
6	Wha	at is correct about a 'green chemistry' process?	
	Α	It makes waste products that are easier to separate.	
	В	It makes processes cheaper.	
	С	It uses organic solvents.	
	D	It reduces the number of steps necessary.	
	You	r answer	[1]
7		ample of gas, volume V, has its temperature raised from 0°C to 20°C . The pressure remastant.	ins
	Wha	at is the new volume?	
	Α	0.005 V	
	В	0.93 V	
	С	1.07 V	
	D	20 V	
	You	r answer	[1]

© OCR 2017 Turn over

4

8 Which row is correct for the silver halide shown?

	Halide	Colour	Solubility in ammonia
A	silver chloride	white	soluble
В	silver bromide	yellow	insoluble
С	silver iodide	yellow	soluble
D	silver iodide	cream	partially soluble

	You	r answer	[1]
9	СНз	$_3$ C l can be converted to CH $_3$ NH $_2$ in one step.	
	Wha	at is correct about this process?	
	A	The reaction is substitution of C1 by NH ₃ .	
	В	The product is an amide.	
	С	The reagent is NH ₄ ⁺ .	
	D	The reagent is a nucleophile.	
	You	r answer	[1]
10	CH ₃	₃ C <i>l</i> and CH ₃ I both react with hydroxide ions.	
	Wha	at is correct about these reactions?	
	A	$\mathrm{CH_3C}\mathit{l}$ reacts faster because the C–C l bond is more polar than the C–I bond.	
	В	CH ₃ I reacts faster because the C–Cl bond is stronger than the C–I bond.	
	С	Both form ethanol.	
	D	In each case, homolytic bond fission occurs.	
	You	r answer	[1]

11	What wil	I react with	a phenol?
	vviiai vvii	i i c aci wilii	a pricior:

- A sodium carbonate
- B sodium hydroxide
- C ethanoic acid
- D acidified potassium dichromate

Your answer [1]

12 When are insoluble impurities removed during recrystallisation?

- A when the hot solution is filtered
- B as the solution cools
- C when the crystals are filtered off
- D when the crystals are washed

Your answer [1]

13 Which of these is classified as an elimination reaction?

$$\mathbf{A} \quad \mathrm{CH_3COOH} \, + \, \mathrm{C_2H_5OH} \, \longrightarrow \, \mathrm{CH_3COOC_2H_5} \, + \, \mathrm{H_2O}$$

$$\mathbf{B} \quad \mathrm{CuSO_4}\text{-}\mathrm{5H_2O} \rightarrow \mathrm{CuSO_4} + \mathrm{5H_2O}$$

$$\mathbf{C} \quad \mathrm{C_2H_5OH} \rightarrow \mathrm{C_2H_4} + \mathrm{H_2O}$$

$$\mathbf{D} \quad \mathrm{C_{17}H_{36}} \to \mathrm{C_{10}H_{22}} + \mathrm{C_{7}H_{14}}$$

Your answer [1]

14	Cu	$CO_3 \rightarrow CuO + CO_2$	
	0.6 Wh	18g of copper carbonate (M_r = 123.5) is heated. at is the volume of CO_2 produced at room temperature and pressure?	
	Α	120 cm ³	
	В	$1.2\mathrm{dm^3}$	
	С	240 cm ³	
	D	12 dm ³	
	Υοι	ır answer	[1]
15	Wh	at is correct about a sodium chloride lattice?	
	A	There are attractions between ions of different charge.	
	В	The sodium ions are larger than the chloride ions.	
	С	The numbers of sodium ions and chloride ions are not equal.	
	D	Each sodium ion is surrounded by four chloride ions.	
	Υοι	ır answer	[1]
16	Wh	at is correct about an exothermic reaction?	
	A	Heat is taken in.	
	В	More bonds are made than broken.	
	С	The sign of ΔH is positive.	
	D	It is represented by a downwards arrow on an enthalpy profile diagram.	
	Υοι	ır answer	[1]
17	Wh	at is the functional group in the compound CH ₃ COOCOC ₂ H ₅ ?	
	Α	carboxylic acid	
	В	ester	
	С	acid anhydride	
	D	ketone	
	Υοι	ır answer	[1]

18	This question concerns four compounds each with four carbon atoms.			
	1. C	CH ₃ CH ₂ CH ₂ CH ₂ OH	2. CH ₃ CH(CH ₃)CH ₂ OH	
	3. C	CH ₃ CH ₂ CH ₂ CHO	4. $CH_3CH_2OCH_2CH_3$	
	Wh	at is the order of their boiling po	ints, largest first?	
	A	1 2 3 4		
	В	1 2 4 3		
	С	4312		
	D	3 4 2 1		
	You	ır answer		[1]
19	Wh	ich has the largest bond angle?		
	A	BF ₃		
	В	CF ₄		
	С	NF ₃		
	D	OF ₂		
	You	ır answer		[1]
20	Nitr	ogen monoxide, NO, reacts inst	tantaneously in air to form NO ₂ .	
	Wh	at is an explanation for this?		
	A	NO is a radical taking part in a	termination reaction.	
	В	the activation enthalpy for the	reaction is low.	
	С	oxygen is a very reactive gas.		
	D	NO ₂ is less stable than NO.		
	You	ır answer		[1]

8


SECTION B

Answer **all** the questions.

	esence of chlorine in organic compou	nds can be seen from their mass spectra. Chlorine
	³⁵ C <i>l</i> 75.53%	³⁷ C <i>l</i> 24.47%
(a) (i)	Give the number of protons, neutron	is and electrons in an atom of ³⁵ Cl.
	protons	
	neutrons	
	electrons	[1]
(ii)	-	g sub-shells and atomic orbitals, of an atom of ³⁷ Cl.
(iii)		of a p-orbital and indicate how many electrons it can
	number of electrons:	[1]
(b) Cal	slculate a value for the $A_{\rm r}$ of chlorine.	
Giv	ve your answer to two decimal places.	
		A _r =[2]

(d)

(c) The mass spectrum of chloroethane, $\rm C_2H_5C\it{l}$, is shown below. The presence of chlorine isotopes causes two 'mass peaks'.



(i) Give the formula of the ion responsible for the peak at m/z 64.

·	
	[1]
Explain the ratio of the heights of the peaks at m/z 64 and m/z 66.	
	[2]
Suggest the formula of the ion that gives the peak at m/z 65.	
	[1]
loroethane can be converted to ethanol.	
e infrared spectrum of ethanol has some absorptions that are not present in the infectrum of chloroethane.	ared
ve the range of one of these absorptions and the corresponding bond.	
sorption	
nd	[4]
	Suggest the formula of the ion that gives the peak at <i>m</i> / <i>z</i> 65. oroethane can be converted to ethanol. e infrared spectrum of ethanol has some absorptions that are not present in the infractrum of chloroethane. e the range of one of these absorptions and the corresponding bond.

22	Some students	carry out experimental	work involving salts.
----	---------------	------------------------	-----------------------

Salt **A** is used as a fertiliser. The students are given a sample of salt **A** to analyse.

They carry out a flame test. The result is a lilac flame.

They dissolve salt **A** in water and add hydrochloric acid followed by barium chloride solution. The result is the formation of a white precipitate.

(a)	Nan	ne salt A .
		[1]
(b)	The	lilac flame colour is from a prominent line in the atomic emission spectrum of salt ${\bf A}$.
	(i)	Describe the appearance of an atomic emission spectrum.
		[1]
	(ii)	The lilac line in the spectrum of the salt occurs at 405 nm.
		Calculate the energy associated with this wavelength in $kJ mol^{-1}$. $(1 nm = 10^{-9} m)$

- **(c)** The students are then asked to make a pure dry sample of lead chloride, an insoluble salt. They suggest mixing lead nitrate solution and sodium chloride solution, then filtering and drying the solid formed.
 - (i) Write a full equation for the reaction that occurs.

	(ii)	The students' method would not produce a pure dry sample of lead chloride.			
		State how to improve the method.			
(d)		students are given a $0.150\mathrm{moldm^{-3}}$ solution of $\mathrm{Na_2CO_3}$. They titrate this against a ution of hydrochloric acid.			
		$Na_2CO_3 + 2HCl \rightarrow 2NaCl + H_2O + CO_2$			
	(i)	25.0 cm ³ of the Na ₂ CO ₃ solution requires 23.6 cm ³ of HC <i>l</i> .			
		Calculate the concentration of the HC1.			
		concentration =moldm ⁻³ [2]			
	(ii)	A student says: 'There is no point writing 0.150 mol dm $^{-3}$ for the $\rm Na_2CO_3$ solution. Writing 0.15 mol dm $^{-3}$ means the same thing.'			
		Discuss whether or not the student's statement is correct.			
		[2]			

(e)	The	students are then given some FeSO ₄ •xH ₂ O.				
	The	students dissolve the solid to make $\text{FeSO}_4(\text{aq})$.				
	(i)	Describe a test they can do on this solution to identify the cation.				
		Test and its result				
			[1]			
	(ii)	Write an ionic equation, with state symbols, for the reaction that occurs in this test.				
			[1]			
(f)	The The	The students then heat a sample of solid $FeSO_4 \cdot xH_2O$. They find that 9.45 g of $FeSO_4 \cdot xH_2O$ gives 5.16 g of solid after heating.				
	(i)	Describe how the students could ensure that all the water had been lost.				
			[1]			
	(ii)	Calculate the value of x.				
		<i>x</i> =	[2]			

23 Some students are given samples of two liquid hydrocarbons, **B** and **C**, to test as fuels.

Fuel	Name	Skeletal formula	Molecular formula	Aliphatic or aromatic?	Saturated or unsaturated?
В	Cyclohexane				
С			С ₇ Н ₁₆		

- (a) Complete the table above, filling the empty boxes.
- (b) (i) Calculate a value for the $\Delta_{\mathbf{f}}H$ of fuel \mathbf{C} using the data below.

$${\rm C_7H_{16}(I)} \ + \ 11{\rm O_2(g)} \ \longrightarrow \ 7{\rm CO_2(g)} \ + \ 8{\rm H_2O(I)} \quad \Delta_{\rm c}H = -4811 \ {\rm kJ \, mol^{-1}} \ {\rm fuel} \ {\bf C}$$

Compound	Δ _f H/kJ mol ^{−1}
CO ₂ (g)	-394
H ₂ O(I)	-286

$$\Delta_{\rm f}H=$$
kJ mol $^{-1}$ [2]


[3]

(ii)	A sample of a fuel produces 46g of carbon dioxide when burned.			
	Calculate the volume (in cm ³) that this would occupy at 273 K and 150 kPa.			

Give your answer to an appropriate number of significant figures.

olume =	cm ³ [3
niiime =	- Cr

(c) The students burn the fuels **B** and **C** separately in the apparatus shown below. Their aim is to compare the energies produced on combustion.



(i)	State the measurements that the students would make to calculate a value for the energy produced. Show how these measurements would be used to calculate this energy.				
	[2				

	(ii)	State and explain two improvements that could be made to increase the accuracy of the calculated value of the energy produced.
		1
		2
		[4]
(d)	Both	n the fuels would produce NO if used in a car engine.
	Ехр	lain how NO is produced in a car engine.
		[1]

- **24** Ethyl ethanoate, CH₃COOC₂H₅, is an ester with many uses, including removing the caffeine from coffee.
 - (a) Ethyl ethanoate can be made in the laboratory by the reaction shown below.

$$CH_3COOH + C_2H_5OH \rightleftharpoons CH_3COOC_2H_5 + H_2O$$

This reaction can reach dynamic equilibrium.

What can be said about the forward and back reactions once an equilibrium position has been reached?

[1]

(b) Ethyl ethanoate will dissolve caffeine since it has similar intermolecular bonds.


caffeine

(i) Caffeine contains some atoms that have greater electronegativity than carbon.

Explain the term *electronegativity*.

[1]

(ii)	Complete the	'dot-and-cross'	'diagram fo	or ethyl ethand	oate.
------	--------------	-----------------	-------------	-----------------	-------



[1]

END OF QUESTION PAPER

18 ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).				

 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
 l



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.