



GCSE

Biology A

Unit **J247H/03**: Higher Tier – Paper 3

General Certificate of Secondary Education

Mark Scheme for June 2018

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Biology A:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

For answers to Section A, if an answer box is blank ALLOW correct indication of answer e.g. circled or underlined.

Question			Answer	Marks	AO element	Guidance
1			C ✓	1	1.1	
2			B ✓	1	1.2	
3			B ✓	1	2.1	
4			C ✓	1	1.2	
5			D ✓	1	1.2	
6			C ✓	1	1.1	
7			A ✓	1	1.1	
8			C ✓	1	2.2	
9			D ✓	1	2.1	
10			C ✓	1	2.1	
11			A ✓	1	1.1	
12			D ✓	1	2.2	
13			C ✓	1	1.1	
14			B ✓	1	1.1	
15			A ✓	1	1.1	

J247/03

Mark scheme

June 2018

Question			Answer	Marks	AO element	Guidance
16	(a)		can control temperature (easier)/ can be set to a specific / constant temperature ✓ limited fire risk✓	2	2 x 2.2	IGNORE reference to ease of measurement ALLOW less risk of burns ALLOW ORA
	(b)		for 60°C / high temperatures: idea that (membranes break down) at 60°C releasing more DNA / DNA is extracted easily ✓ against 60°C / high temperatures: increased risk of DNA breaking down at 60°C / more DNA destroyed at 60°C / DNA not preserved at 60°C ✓	2	2 x 2.2	ALLOW idea that enzymes destroying DNA are denatured so less DNA destroyed Answers must make it clear which temperature they are referring to. ALLOW ORA
	(c)		wear face mask / goggles to prevent protease/ethanol/chemicals being inhaled / entering eyes✓ gloves / use tongs prevent ethanol/protease/chemicals being in contact with skin✓ turn Bunsen off as ethanol is flammable✓	2	2 x 2.2	 ALLOW use tongs as solution/ tube may be hot IGNORE reference to lab coats / glass breakages

J247/03

Mark scheme

June 2018

Question			Answer	Marks	AO element	Guidance
	(d)	(i)	First check answer on answer line If answer = 33.1 (mg) award 2 marks $\frac{99.2}{3}$ OR 33.067 / 33.07✓ = 33.1 (mg) ✓	2	1.2 2.2	
		(ii)	(yes because) idea that there is a greater mean / yield / mass produced (of DNA)✓ there is less range/variation in results✓	2	2 x 3.1b	ALLOW ECF ALLOW examples of data from table to indicate less range/variability

Question			Answer	Marks	AO element	Guidance
17	(a)		pupil has dilated (in diagram B)✓ radial muscles contracted✓ to allow more light into the eye✓	3	2.1 1.1 1.1	ALLOW pupil is larger IGNORE eyes / iris dilated ALLOW reflex action has occurred
	(b)	(i)	person X is short-sighted✓ person Y is long-sighted✓	2	2 x 2.1	ALLOW person X is myopic / has myopia ALLOW person Y is hypermetropic / has hypermetropia (hyperopia)
		(ii)	person X concave/divergent lens and person Y convex/convergent lens✓ idea that concave lenses diverge light rays / person X needs a lens to diverge light rays (before they enter the eye)✓ idea that convex lenses converge light rays / person Y needs a lens to converge light rays (before they enter the eye)✓	3	1.1 2 x 2.1	ALLOW minus powered lens ALLOW plus powered lens Allow diagram showing lens diverging light  Allow diagram showing lens converging light  Must be stated which diagram refers to which lens or person.

Question			Answer	Marks	AO element	Guidance
18	(a)	(i)	loop of Henlé✓	1	1.1	
		(ii)	collecting duct✓	1	1.1	ALLOW DCT IGNORE collection duct
	(b)		Any four from: glucose (in filtrate but) not in urine so must be reabsorbed✓ sodium chloride lower in urine so reabsorbed✓ urea (much) higher in urine so not reabsorbed✓ others higher in urine so not reabsorbed✓ waste products higher in urine so not reabsorbed but useful substances reabsorbed✓	4	3.2b	IGNORE unqualified responses e.g. glucose is reabsorbed If no other mark awarded ALLOW some substances reabsorbed but others are not

Question		Answer	Marks	AO element	Guidance
	(c)*	Please refer to the marking instructions on page 5 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Explains more than one body response to different temperature <u>and</u> osmotic challenges. AND applies knowledge and understanding to identify a drink requirement both pre-race <u>and</u> post-race AND analyses information and ideas to explain which sports drink is best for pre-race <u>and</u> for post-race. <i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i> Level 2 (3–4 marks) Explains a body response to different temperature <u>or</u> to osmotic challenges AND applies knowledge and understanding to identify a drink requirement for pre-race <u>or</u> for post-race. AND analyses information and ideas to explain which sports drink is best for pre-race <u>or</u> for post-race. <i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i>	6	2 x 1.1 2 x 2.1 2 x3.2a	AO1.1 Demonstrate knowledge and understanding of scientific ideas of responses of body to different temperature and osmotic challenges. • exercise causes loss of water through sweating • will use up much of the sugar for energy/respiration/exercise • exercise causes loss of salts through sweating AO2.1 Apply knowledge and understanding of scientific ideas to identify drink requirements pre-race and post-race • pre-race drink needs to provide the body with sugar needed for exercise • post-race drink will need to replace salts lost / replace sugars used up AO3.2b Analyse information and ideas to make judgements about which sports drink is best for pre-race and post-race. • hypertonic is best for pre-race as it contains the highest levels of sugars / is taken 60 minutes before race as takes time to be absorbed / absorbed slowly so it's effects last for the race • isotonic drink after the race will not change / dilute / increase the concentration of the blood / will match the concentration of body fluids

Question			Answer	Marks	AO element	Guidance
			Level 1 (1–2 marks) demonstrates knowledge and understanding of <u>one</u> body response to different temperature and osmotic challenges OR applies knowledge and understanding to identify a drink requirement either pre-race <u>or</u> post-race. OR analyses information and ideas to explain which sports drink is best for either pre-race <u>or</u> for post-race <i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i> 0 marks <i>No response or no response worthy of credit.</i>			


Question			Answer	Marks	AO element	Guidance
19	(a)	(i)	Any two from: idea that ruler release height is not standardised ✓ idea that release of ruler may cause uneven fall ✓ It (is the distance measured but time recorded) requires a calculation / may lead to conversion errors ✓ distance apart of fingers is not standardised ✓ fingers cover a range of different readings ✓ anticipation is possible / may learn to expect when it will be dropped ✓	2	2 x 3.3a	eg may fall sideways IGNORE simply readings taken incorrectly ALLOW does not specify which part of finger is measured
		(ii)	stimulus is randomised / time rather than distance measured / no calculation needed ✓ and any two from: improvements could include: randomising left and right hand ✓ making each target number same distance to move to / same distance from the start button ✓ randomising the delay time before the number flashes ✓ use a touch screen to avoid moving the mouse ✓	3	3.2a 2 x 3.3b	IGNORE it uses a computer so its accurate
	(b)	(i)	First check answer on answer line If answer = 0.25 award 2 marks list in rank order / selects correct 5th and 6th values ✓ $\frac{0.25+0.25}{2} = 0.25$ ✓	2	2 x 2.1	IGNORE decimal place for the list in rank order

J247H/03

Mark scheme

June 2018

Question			Answer	Marks	AO element	Guidance
		(ii)	Any two from: there is no difference in reaction times between left (non-dominant) hand and right (dominant) hand ✓ mean and the median are the same for both hands / the same for the right (dominant) hand ✓ results from right (dominant) hand have a wider range (than left (non-dominant) hand) ✓	2	2 x 3.1a	ALLOW ECF from b) ALLOW ORA Do not credit marks for reference to right and left handed students in each marking point.
	(c)	(i)	(skin stem cell) differentiates into (motor) neurone ✓	1	2.2	ALLOW differentiates into MN (taken from abbreviation of motor neurone disease to MND in stem of question)
		(ii)	cerebrum ✓ idea that area of brain controlling motor function / movement / conscious activities ✓	2	1.1 2.1	ALLOW cerebral cortex / motor cortex IGNORE it is the area that coordinates reactions. DO NOT ALLOW a list of correct functions of the cerebrum without the importance of movement being highlighted
		(iii)	Any two from: difficult to access brain (due to skull) ✓ large number of neurones / large number of nerve impulses in the brain / difficult to follow a single neurone ✓ ethical issues of researching on brain / risk of damage ✓	2	2 x 2.2	IGNORE difficult to take measurements in brain unless qualified

Question			Answer	Marks	AO element	Guidance
20	(a)		(Diagram B) because vasodilation✓ (blood vessels) release more heat / energy (to environment)✓ sweat being released to <u>evaporate</u> ✓	3	1.1 2 x 2.1	if A chosen award no marks ALLOW blood vessels/arterioles have widened / dilated idea of more heat released must be linked to blood vessels IGNORE cools down more ALLOW sweat not evaporated due to humidity preventing evaporation
	(b)		adrenaline reduces blood flow to the skin✓ less blood lost (during time to clot/receive medical treatment)✓	2	1.1 2.1	ALLOW causes vasoconstriction in skin IGNORE stops bleeding
	(c)	(i)	corpus luteum / (empty) follicle / yellow body ✓	1	1.1	
		(ii)	smooth curve drawn rising and falling✓ fall must start on day 21 or after✓	2	2 x 1.1	 21400032 if no fall in progesterone then award 0 marks

J247H/03

Mark scheme


June 2018

Question			Answer	Marks	AO element	Guidance
	(d)	(i)	First check answer on answer line If answer = 19.98 (mm) award 3 marks 20 - 0.025✓ but 19.975 (mm)✓ 19.98 (mm) ✓	3	2 x 2.2 1.2	
		(ii)	lining is not repaired correctly✓	1	1.1	ALLOW lining will not thicken / not build up IGNORE lining will not be maintained / will become thinner
		(iii)	Any three from: gonadotrophins used ✓ FSH and LH used✓ FSH lead to ripening of follicle ✓ and LH causes ovulation ✓ human chorionic gonadotrophin (hCG)✓ causes egg/ovum to mature inside follicle✓	3	3 x 1.1	ALLOW stimulate egg production/development
		(iv)	order of bases is changed (in gene)✓ order of amino acids changed in protein / change in shape of the enzyme ✓	2	1.1 2.1	ALLOW nucleotides ALLOW mutation in base sequence ALLOW different amino acids in protein IGNORE codes for wrong amino acid to be made

J247H/03

Mark scheme

June 2018

Question			Answer	Marks	AO element	Guidance
21	(a)		energy/heat is taken from surroundings/into the reaction✓	1	1.1	ALLOW energy absorbed is more than the energy released
	(b)		suitable smooth line of best fit is drawn✓	1	2.2	 dot to dot line = 0
	(c)		at point A light is limiting as increasing light intensity increases the rate / as it has sufficient temperature and carbon dioxide ✓ at point B temperature is limiting as increasing temperature increases rate / as it has sufficient light and carbon dioxide ✓/ at point C carbon dioxide is limiting as increasing carbon dioxide increases rate / it has sufficient temperature and light ✓	3	3 x 2.1	if no other mark scored allow one mark for correct identification of the three limiting factors with no explanations

Question			Answer	Marks	AO element	Guidance
	(d)	(i)	photosynthesis makes sugars in guard cells✓ epidermal cells (don't photosynthesise so) lower in sugar than guard cell✓ and any two from: epidermal cells higher osmotic / water potential than guard cells✓ ORA water enters guard cells (by osmosis) ✓ ORA increasing turgidity of guard cell opens stomata✓ ORA due to thicker inner cell wall✓ opening / size of stoma affects transpiration rate✓	4	2 x 1.1 2 x 2.1	ALLOW correct description of transpiration linked to the size of stoma
		(ii)	they have differentiated✓ have a specific job to do (in the leaf/plant)✓	2	2 x 1.1	ALLOW they have adapted (to their function) ALLOW no other cells do the same job ALLOW they can open / close stomata they have adapted to a specific job / they are adapted to open and close stomata = 2 marks
	(e)		phloem is removed✓ swelling caused by a build-up of food/sugar ✓ food/sugar produced in the leaves / moving downwards cannot get past (the ringed area) ✓	3	3 x 3.2b	ALLOW phloem is on the outside IGNORE nutrients / minerals / ions ALLOW glucose / sucrose ALLOW translocation to roots is prevented

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2018

