

Please write clearly in block capitals.	
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	

AS **MATHEMATICS**

Paper 2

Please note that question 17 uses the original Large Data Set "Family Food". This was replaced by the data set "Transport Stock Vehicle Database" in AS exams from June 2019. If you'd like to see the original data set, please contact maths@aqa.org.uk.

Wednesday 23 May 2018

Morning

Time allowed: 1 hour 30 minutes

Materials

- You must have the AQA Formulae for A-level Mathematics booklet.
- You should have a graphical or scientific calculator that meets the requirements of the specification.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer each question in the space provided for that question.
 If you require extra space, use an AQA supplementary answer book; do not use the space provided for a different question.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
TOTAL		



Section A

Answer all questions in the spaces provided.

Given that $\frac{\mathrm{d}y}{\mathrm{d}x} = \frac{1}{6x^2}$ find y. 1

Circle your answer.

[1 mark]

$$\frac{-1}{3x^3} + c$$


$$\frac{-1}{3x^3} + c$$
 $\frac{1}{2x^3} + c$ $\frac{-1}{6x} + c$ $\frac{-1}{3x} + c$

$$\frac{-1}{6x} + c$$

$$\frac{-1}{3x} + c$$

2 Figure 1 shows y = f(x).

Figure 1



Which figure below shows y = f(2x)?

Tick one box.

[1 mark]




Figure 2	
Figure 3	
rigure 5	
Figure 4	

3	Express as a single logarithm	
	$2\log_a 6 - \log_a 3$	
	$2\log_a \sigma - \log_a \sigma$	[2 marks]
		[=]
_	2	
4	Solve the equation $\tan^2 2\theta - 3 = 0$ giving all the solutions for $0^{\circ} \le \theta \le 360$	
		[4 marks]



Find f(x). [4 marks]	5	$f'(x) = \left(2x - \frac{3}{x}\right)^2$ and $f(3) = 2$	
		Find $f(x)$.	4 marks]
			




6	Points A $(-7, -7)$, B $(8, -1)$, C $(4, 9)$ and D $(-11, 3)$ are the vertices of a quadrilateral $ABCD$.	
6 (a)	Prove that ABCD is a rectangle.	[4 marks]
6 (b)	Find the area of ABCD.	[2 marks]




7 (a)	Express $2x^2 - 5x + k$ in the form $a(x - b)^2 + c$	[3 marks]
- 41		
7 (b)	Find the values of k for which the curve $y = 2x^2 - 5x + k$ does not intersectine $y = 3$	[3 marks]

8 A circle of radius 6 passes through the points (0, 0) and (0, 10).



[1 mark]





8 (b)	Find the equations of the two circles.	[3 marks
	Turn over for the next question	



9	It is given that $\cos 15^\circ = \frac{1}{2}\sqrt{2+\sqrt{3}}$ and $\sin 15^\circ = \frac{1}{2}\sqrt{2-\sqrt{3}}$		
	Show that $ an^2$ 15° can be written in the form $a+b\sqrt{3}$, where a and b are	e integers.	
	Fully justify your answer.	[3 marks]	

0	In the binomial expansion of $(1+x)^n$, where $n \ge 4$, the coefficient of x^4 is $1\frac{1}{2}$ times the sum of the coefficients of x^2 and x^3
	Find the value of <i>n</i> . [5 marks]

Turn over for the next question



t V	She bends a rectangle of steel to make an open cylinder and welds the joint. She then welds this cylinder to the circumference of a circular base. The planter must have a capacity of 8000 cm ³ Welding is time consuming, so Rakti wants the total length of weld to be a minimum. Calculate the radius, r , and height, h , of a planter which requires the minimum total length of weld. Fully justify your answers, giving them to an appropriate degree of accuracy. [9 marks]
V C	The planter must have a capacity of $8000\mathrm{cm}^3$ Welding is time consuming, so Rakti wants the total length of weld to be a minimum. Calculate the radius, r , and height, h , of a planter which requires the minimum total length of weld. Fully justify your answers, giving them to an appropriate degree of accuracy.
V C	Welding is time consuming, so Rakti wants the total length of weld to be a minimum. Calculate the radius, r , and height, h , of a planter which requires the minimum total length of weld. Fully justify your answers, giving them to an appropriate degree of accuracy.
(Calculate the radius, r , and height, h , of a planter which requires the minimum total length of weld. Fully justify your answers, giving them to an appropriate degree of accuracy.
le	length of weld. Fully justify your answers, giving them to an appropriate degree of accuracy.
- - -	
- - -	
- - -	
-	
-	
_	
_	
_	
_	
-	
_	
_	





12	Trees in a forest may be affected by one of two types of fungal disease, but not by both.
	The number of trees affected by disease A, $n_{\rm A}$, can be modelled by the formula
	$n_{\rm A} = a \mathrm{e}^{0.1t}$
	where t is the time in years after 1 January 2017.
	The number of trees affected by disease B, n_{B} , can be modelled by the formula
	$n_{\mathrm{B}} = b \mathrm{e}^{0.2t}$
	On 1 January 2017 a total of 290 trees were affected by a fungal disease.
	On 1 January 2018 a total of 331 trees were affected by a fungal disease.
12 (a)	Show that $b=90,$ to the nearest integer, and find the value of $a.$ [3 marks]
	<u> </u>

12 (b)	Estimate the total number of trees that will be affected by a fungal disease on 1 January 2020.
	[1 mark]
12 (c)	Find the year in which the number of trees affected by disease B will first exceed the
	number affected by disease A. [3 marks]
12 (d)	Comment on the long-term accuracy of the model. [1 mark]
	Turn over for Section B



Section B

Answer all questions in the spaces provided.

The table below shows the probability distribution for a discrete random variable X.

x	0	1	2	3	4 or more
P(X=x)	0.35	0.25	k	0.14	0.1

Find the value of k.

Circle your answer.

[1 mark]

0.14

0.16

0.18

1

Given that $\sum x = 364$, $\sum x^2 = 19412$, n = 10, find σ , the standard deviation of X.

Circle your answer.

[1 mark]

24.8

44.1

616.2

1941.2

15	Nicola, a darts player, is practising hitting the bullseye. She knows from previous experience that she has a probability of 0.3 of hitting the bullseye with each dart.			
	Nicola throws eight practice darts.			
15 (a)	Using a binomial distribution, calculate the probability that she will hit the bullseye three or more times.			
	[2 marks]			
15 (b)	Nicola throws eight practice darts on three different occasions. Calculate the probability that she will hit the bullseye three or more times on all three occasions. [2 marks]			
15 (c)	State two assumptions that are necessary for the distribution you have used in part (a) to be valid.			
	[2 marks]			



16	Kevin is the Principal of a college.			
	He wishes to investigate types of transport used by students to travel to college.			
	There are 3200 students in the college and Kevin decides to survey 60 of the	nem.		
	Describe how he could obtain a simple random sample of size 60 from the 3200 students.			
	ozoo diddonio.	[4 marks]		



The table below is an extract from the Large Data Set, showing the purchased quantities of fats and oils for the South East of England in 2014.

Description	Purchased quantity
Butter	42
Soft margarine	16
Olive oil	17
Other vegetable and salad oils	28

Kim claims that more olive oil was purchased in the South East than soft margarine.

Explain why Kim may be incorrect.

[2 marks]


Turn over for the next question

Jennie is a piano teacher who teaches nine pupils.

She records how many hours per week they practice the piano along with their most recent practical exam score.

Student	Practice (hours per week)	Practical exam score (out of 100)	
Donovan	50	64	
Vazquez	6	71	
Higgins	3	55	
Begum	2.5	47	
Collins	1	80	
Coldbridge	4	61	
Nedbalek	4.5	65	
Carter	8	83	
White	11	92	

She plots a scatter diagram of this data, as shown below.





18 (a)	Identify two possible outliers by name, giving a possible explanation for the position on the scatter diagram of each outlier.	
	First outlier	[4 marks]
	Possible reason	
	Second outlier	
	Possible reason	
18 (b)	Jennie discards the two outliers.	
18 (b) (i)	Describe the correlation shown by the scatter diagram for the remaining point	its. [1 mark]
18 (b) (ii)	Interpret this correlation in the context of the question.	[1 mark]
	Turn over for the next question	



Martin grows cucumbers from seed.
In the past, he has found that 70% of all seeds successfully germinate and grow into cucumber plants.
He decides to try out a new brand of seed.
The producer of this brand claims that these seeds are more likely to successfully germinate than other brands of seeds.
Martin sows 20 of this new brand of seed and 18 successfully germinate.
Carry out a hypothesis test at the 5% level of significance to investigate the producer's claim.
[7 marks]



Do not write outside the box **END OF QUESTIONS**



There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series.

Do not write outside the box

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House, Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.

