

Please write clearly in block capitals.	
Centre number	Candidate number
Surname	
Forename(s)	
Candidate signature	

A-level **MATHEMATICS**

Paper 3

Please note that question 13 uses the original Large Data Set "Family Food". This was replaced by the data set "Transport Stock Vehicle Database" in A-level exams from June 2020.

If you'd like to see the original data set, please contact maths@aqa.org.uk.

Friday 15 June 2018

Afternoon

Time allowed: 2 hours

Materials

- You must have the AQA Formulae for A-level Mathematics booklet.
- You should have a graphical or scientific calculator that meets the requirements of the specification.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions.
- You must answer each question in the space provided for that question.
 If you require extra space, use an AQA supplementary answer book; do not use the space provided for a different question.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 100.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
TOTAL		



Se	ctio	n	Α

Answer all questions in the spaces provided.

1 A circle has equation $(x-4)^2 + (y+4)^2 = 9$

What is the area of the circle?

Circle your answer.

[1 mark]

 3π

 9π

 16π

 81π

2 A curve has equation $y = x^5 + 4x^3 + 7x + q$ where q is a positive constant.

Find the gradient of the curve at the point where x = 0

Circle your answer.

[1 mark]

0

1

7

q

3 The line *L* has equation 2x + 3y = 7

Which one of the following is perpendicular to L?

Tick one box.

[1 mark]

$$2x - 3y = 7$$

$$3x + 2y = -7$$

$$2x + 3y = -\frac{1}{7}$$


$$3x - 2y = 7$$



4 Sketch the graph of y = |2x + a|, where a is a positive constant.

Show clearly where the graph intersects the axes.

[3 marks]



Show that, for small values of x, the graph of $y = 5 + 4 \sin \frac{x}{2} + 12 \tan \frac{x}{3}$ can be approximated by a straight line.

[3 marks]	
-----------	--

6	A function f is defined by $f(x) = \frac{x}{\sqrt{2x-2}}$	
6 (a)	State the maximum possible domain of f.	[2 marks]
	x-2	
6 (b)	Use the quotient rule to show that $f'(x) = \frac{x-2}{(2x-2)^{\frac{3}{2}}}$	[3 marks]



Do	not	writ
ou	tside	e the
	bo	X

	Show that the graph of $y = f(x)$ has exactly one point of inflection.	[7 ma
)	Write down the values of x for which the graph of $y = f(x)$ is convex.	[1 n



Do	not	write
ou	tside	e the
	bo	X

7 (a)	Given that $\log_a y = 2\log_a 7 + \log_a 4 + \frac{1}{2}$, find y in terms of a .	[4 marks]



7 (b) When asked to solve the equation

$$2\log_a x = \log_a 9 - \log_a 4$$

a student gives the following solution:

$$2 \log_a x = \log_a 9 - \log_a 4$$

$$\Rightarrow 2 \log_a x = \log_a \frac{9}{4}$$

$$\Rightarrow \log_a x^2 = \log_a \frac{9}{4}$$

$$\Rightarrow x^2 = \frac{9}{4}$$

$$\therefore x = \frac{3}{2} \text{ or } -\frac{3}{2}$$

Explain what is wrong with the student's solution.

[1 mark



Do	not	writ
ou	tside	e the
	ho	~

8 (a)	Prove the identity $\frac{\sin 2x}{1 + \tan^2 x} \equiv 2 \sin x \cos^3 x$	[3 marks]



Do	not	wri
		e th

8 (b)	Hence find $\int \frac{4\sin 4\theta}{1 + \tan^2 2\theta} d\theta$	[6 marks]



Helen is creating a mosaic pattern by placing square tiles next to each other along a straight line.
w
The area of each tile is half the area of the previous tile, and the sides of the largest tile have length \boldsymbol{w} centimetres.
Find, in terms of w , the length of the sides of the second largest tile. [1 mark]
Assume the tiles are in contact with adjacent tiles, but do not overlap.
Assume the tiles are in contact with adjacent tiles, but do not overlap. Show that, no matter how many tiles are in the pattern, the total length of the series of tiles will be less than 3.5w.
Show that, no matter how many tiles are in the pattern, the total length of the series
Show that, no matter how many tiles are in the pattern, the total length of the series of tiles will be less than $3.5w$.
Show that, no matter how many tiles are in the pattern, the total length of the series of tiles will be less than $3.5w$.
Show that, no matter how many tiles are in the pattern, the total length of the series of tiles will be less than $3.5w$.
Show that, no matter how many tiles are in the pattern, the total length of the series of tiles will be less than $3.5w$.
Show that, no matter how many tiles are in the pattern, the total length of the series of tiles will be less than $3.5w$.
Show that, no matter how many tiles are in the pattern, the total length of the series of tiles will be less than $3.5w$.
Show that, no matter how many tiles are in the pattern, the total length of the series of tiles will be less than $3.5w$.
Show that, no matter how many tiles are in the pattern, the total length of the series of tiles will be less than $3.5w$.
Show that, no matter how many tiles are in the pattern, the total length of the series of tiles will be less than $3.5w$.



	Do not write outside the box
tre	
(s]	
_	

9 (c)	Helen decides the pattern will look better if she leaves a 3 millimetre gap between adjacent tiles.
	Explain how you could refine the model used in part (b) to account for the 3 millimetre gap, and state how the total length of the series of tiles will be affected. [2 marks]



Prove by contradiction that $\sqrt[3]{2}$ is an irrational number. 10 [7 marks]



Section B

Answer all questions in the spaces provided.

11 The table below shows the probability distribution for a discrete random variable X.

x	1	2	3	4	5
P(X=x)	k	2 <i>k</i>	4 <i>k</i>	2 <i>k</i>	k

Find the value of k.

Circle your answer.

[1 mark]


$$\frac{1}{2}$$

$$\frac{1}{4}$$

$$\frac{1}{10}$$

1

The histogram below shows the heights, in cm, of male A-level students at a particular school.



Which class interval contains the median height?

Circle your answer.

[1 mark]

[155, 160)

[160, 170)

[170, 180)

[180, 190]



13	he table below shows an extract from the Large Data Set.
10	The table below shows all extract from the Large Data Oct.

Year	2011	2012	2013	2014	% change since 2011
Other takeaway food brought home	0	0	0	0	–29

Sarah claims that the -29% change since 2011 is incorrect, as there is no change between 2011 and 2014.

Sarah's claim is correct.	xplain whether	
	[3 marks]	



4	A teacher in a college asks her mathematics students what other subjects they are studying.
	She finds that, of her 24 students:
	12 study physics 8 study geography 4 study geography and physics
4 (a)	A student is chosen at random from the class.
	Determine whether the event 'the student studies physics' and the event 'the student studies geography' are independent. [2 marks]



Do	not	write
ou	tside	e the
	ho	~

14 (b)	It is known that for the whole college:
	the probability of a student studying mathematics is $\frac{1}{5}$
	the probability of a student studying biology is $\frac{1}{6}$
	the probability of a student studying biology given that they study mathematics is $\frac{3}{8}$
	Calculate the probability that a student studies mathematics or biology or both. [4 marks]

Turn over for the next question



Turn over ▶

15	Abu visits his local hardware store to buy six light bulbs.	
	He knows that 15% of all bulbs at this store are faulty.	
15 (a)	State a distribution which can be used to model the number of faulty bulbs he bu	uys. mark]
15 (b)	Find the probability that all of the bulbs he buys are faulty.	mark]
15 (c)	Find the probability that at least two of the bulbs he buys are faulty.	narks]
15 (d)	Find the mean of the distribution stated in part (a).	mark]



5 (e)	State two necessary assumptions in context so that the distribution stated is valid.	d in part (a)
		[2 marks
	Turn over for the next question	



Turn over ▶

Do	not	writ
ou	tside	e the
	ho	~

16	drinks they consumed in a week had		carbonated
	$\sum x = 165.6$	$\sum x^2 = 261.8$	
16 (a) (i)	Calculate the mean of \boldsymbol{X} .		[1 mark]
16 (a) (ii)	Calculate the standard deviation of 2	₹.	[2 marks]
16 (b) 16 (b) (i)	Assuming that X can be modelled by $P(0.5 < X < 1.5)$	y a normal distribution find	[2 marks]



16 (b) (ii)	
16 (c)	Determine with a reason, whether a normal distribution is suitable to model this data. [2 marks]
16 (d)	It is known that the volume, Y litres per person, of energy drinks consumed in a week may be modelled by a normal distribution with standard deviation 0.21
	Given that $P(Y>0.75)=0.10$, find the value of μ , correct to three significant figures. [4 marks]



		Do not write
17	Suzanne is a member of a sports club.	outside the box
	For each sport she competes in, she wins half of the matches.	
17 (a)	After buying a new tennis racket Suzanne plays 10 matches and wins 7 of them.	
	Investigate, at the 10% level of significance, whether Suzanne's new racket has made a difference to the probability of her winning a match.	
	[7 marks]	



17 (b)	After buying a new squash racket, Suzanne plays 20 matches. Find the minimum number of matches she must win for her to conclude, at the 10% level of significance that the new racket has improved her performance.		
	[5 marks]		
	Turn over for the next question		




24 Do not write outside the In a region of England, the government decides to use an advertising campaign to 18 encourage people to eat more healthily. Before the campaign, the mean consumption of chocolate per person per week was known to be 66.5 g, with a standard deviation of 21.2 g 18 (a) After the campaign, the first 750 available people from this region were surveyed to find out their average consumption of chocolate. **18 (a) (i)** State the sampling method used to collect the survey. [1 mark] 18 (a) (ii) Explain why this sample should not be used to conduct a hypothesis test. [1 mark]




box

18 (b)	A second sample of 750 people revealed that the mean consumption of chocolate per person per week was 65.4 g
	Investigate, at the 10% level of significance, whether the advertising campaign has decreased the mean consumption of chocolate per person per week.
	Assume that an appropriate sampling method was used and that the consumption of chocolate is normally distributed with an unchanged standard deviation.
	[6 marks]
	END OF QUESTIONS











There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED Copyright information For confidentiality purposes, from the November 2015 examination series, acknowledgements of third party copyright material will be published in a separate booklet rather than including them on the examination paper or support materials. This booklet is published after each examination series and is available for free download from www.aqa.org.uk after the live examination series. Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team, AQA, Stag Hill House,

2 8

Guildford, GU2 7XJ.

Copyright © 2018 AQA and its licensors. All rights reserved.