



Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

---

Forename(s)

---

Candidate signature

---

I declare this is my own work.

# A-level FURTHER MATHEMATICS

## Paper 1

Friday 22 May 2020

Morning

Time allowed: 2 hours

### Materials

- You must have the AQA formulae and statistical tables booklet for A-level Mathematics and A-level Further Mathematics.
- You should have a scientific calculator that meets the requirements of the specification. (You may use a graphical calculator.)

### Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work you do not want to be marked.

### Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 100.

### Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
<b>TOTAL</b>	



J U N 2 0 7 3 6 7 1 0 1

PB/Jun20/E7

**7367/1**

Answer **all** questions in the spaces provided.

**1** Which of the integrals below is **not** an improper integral?

Circle your answer.

[1 mark]

$$\int_0^{\infty} e^{-x} dx$$

$$\int_0^2 \frac{1}{1-x^2} dx$$

$$\int_0^1 \sqrt{x} dx$$

$$\int_0^1 \frac{1}{\sqrt{x}} dx$$

**2** Which one of the matrices below represents a rotation of  $90^\circ$  about the  $x$ -axis?

Circle your answer.

[1 mark]

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$$

$$\begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & -1 \\ 0 & 1 & 0 \end{bmatrix}$$



**3** The quadratic equation  $ax^2 + bx + c = 0$  ( $a, b, c \in \mathbb{R}$ ) has real roots  $\alpha$  and  $\beta$ .

One of the four statements below is incorrect.

Which statement is **incorrect**?

Tick (✓) **one** box.

[1 mark]

$$c = 0 \Rightarrow \alpha = 0 \text{ or } \beta = 0$$

$$c = a \Rightarrow \alpha \text{ is the reciprocal of } \beta$$

$$b < 0 \text{ and } c < 0 \Rightarrow \alpha > 0 \text{ and } \beta > 0$$

$$b = 0 \Rightarrow \alpha = -\beta$$

**Turn over for the next question**

**Turn over** ►





**4 (b)** Find the value of  $p$  and the value of  $r$ .

**[2 marks]**

---

---

---

---

---

---

---

**Turn over for the next question**

**Turn over ►**







**6** Let  $w$  be the root of the equation  $z^7 = 1$  that has the smallest argument  $\alpha$  in the interval  $0 < \alpha < \pi$

**6 (a)** Prove that  $w^n$  is also a root of the equation  $z^7 = 1$  for any integer  $n$ .

[1 mark]

---



---



---



---

**6 (b)** Prove that  $1 + w + w^2 + w^3 + w^4 + w^5 + w^6 = 0$

[2 marks]

---



---



---



---




---



---

**6 (c)** Show the positions of  $w, w^2, w^3, w^4, w^5,$  and  $w^6$  on the Argand diagram below.

[2 marks]















**9 (b)** Find the coordinates of the two stationary points of the graph of  $y = f(x)$  **[2 marks]**

---

---

---

---

---

---

---

---

---

---

**9 (c)** Show that the graph of  $y = f(x)$  has an oblique asymptote and find its equation. **[2 marks]**

---

---

---

---

---

---

---

---

---

---

**Question 9 continues on the next page**


**Turn over ►**



Do not write  
outside the  
box

**9 (d)** Sketch the graph of  $y = f(x)$  on the axes below.

**[4 marks]**



**Turn over for the next question**

*Do not write  
outside the  
box*

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**

**Turn over ►**



1 7





11 The lines  $l_1$ ,  $l_2$  and  $l_3$  are defined as follows.

$$l_1 : \left( \mathbf{r} - \begin{bmatrix} 1 \\ 5 \\ -1 \end{bmatrix} \right) \times \begin{bmatrix} -2 \\ 1 \\ -3 \end{bmatrix} = \mathbf{0}$$

$$l_2 : \left( \mathbf{r} - \begin{bmatrix} -3 \\ 2 \\ 7 \end{bmatrix} \right) \times \begin{bmatrix} 2 \\ -1 \\ 3 \end{bmatrix} = \mathbf{0}$$

$$l_3 : \left( \mathbf{r} - \begin{bmatrix} -5 \\ 12 \\ -4 \end{bmatrix} \right) \times \begin{bmatrix} 4 \\ 0 \\ 9 \end{bmatrix} = \mathbf{0}$$

11 (a) (i) Explain how you know that two of the lines are parallel.

[1 mark]

---

---

---

---

---

---

---

---

---

---







**Turn over for the next question**

*Do not write  
outside the  
box*

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**

**Turn over ►**









Do not write  
outside the  
box

---

---

---

---

---

---

---

---

---

---

**13 (b)** Find the speed of the particle when it is at a point  $P$ , a distance  $\frac{1}{4}$  metre from the equilibrium position. Give your answer to two significant figures.

**[4 marks]**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

Turn over ►



**14 (a)** Given that

$$\sinh(A + B) = \sinh A \cosh B + \cosh A \sinh B$$

express  $\sinh(m + 1)x$  and  $\sinh(m - 1)x$  in terms of  $\sinh mx$ ,  $\cosh mx$ ,  $\sinh x$  and  $\cosh x$

**[1 mark]**

---

---

---

---

---

---

---

---

**14 (b)** Hence find the sum of the series

$$C_n = \cosh x + \cosh 2x + \dots + \cosh nx$$

in terms of  $\sinh x$ ,  $\sinh nx$  and  $\sinh(n + 1)x$

**[5 marks]**

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---





**There are no questions printed on this page**

*Do not write  
outside the  
box*

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**





