



GCE

Biology A

H420/01: Biological processes

Advanced GCE

Mark Scheme for Autumn 2021

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2021

Annotations

Annotation	Meaning
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Marking Annotations

Annotation	Use
	Benefit of Doubt
	Contradiction
	Cross
	Error Carried Forward
	Given Mark
	Extendable horizontal wavy line (to indicate errors / incorrect science terminology)
	Ignore
	Large dot (various uses as defined in mark scheme)
	Highlight (various uses as defined in mark scheme)
	Benefit of the doubt not given
	Tick
	Omission Mark
	Blank Page
	Level 1 answer in Level of Response question
	Level 2 answer in Level of Response question
	Level 3 answer in Level of Response question

Question			Answer	Mark	AO element	Guidance
1			C	1	1.1	
2			B	1	1.2	
3			C	1	1.2	
4			A	1	1.1	
5			C	1	2.1	
6			B	1	1.1	
7			B	1	2.6	
8			B	1	2.6	
9			B	1	1.1	
10			C	1	2.1	
11			D	1	1.1	
12			D	1	1.1	
13			B	1	1.1	
14			A	1	2.7	
15			B	1	1.2	

Question			Answer	Mark	AO element	Guidance
16	(a)	(i)	<p>A = sinoatrial node / SA node / SAN ✓</p> <p>B = <u>right</u> , atrium / atria ✓</p> <p>C = (inferior) vena cava ✓</p> <p>D = semilunar valve ✓</p> <p>E = bicuspid / (left) atrioventricular / (left) AV , valve ✓</p>	5	1.1	<p>DO NOT ALLOW sinoarterial</p> <p>ALLOW aortic valve</p> <p>ALLOW mitral valve</p> <p>DO NOT ALLOW tricuspid</p>
16	(a)	(ii)	autonomic ✓	1	1.1	ALLOW parasympathetic / sympathetic
16	(b)	(i)	<p>I ✓</p> <p>medulla (oblongata) ✓</p>	2	1.1	
16	(b)	(ii)	<p>heart rate controlled by , nervous / autonomic , system / AW ✓</p> <p>parasympathetic / vagus , nerve reduces heart rate / AW ✓</p> <p>heart rate reduces by (approximately) 30 bpm ✓</p>	max 2	3.1	ALLOW heart rate controlled by more than one nerve
16	(b)	(iii)	<p><u>hypothalamus</u> AND <u>pituitary</u> ✓</p> <p>produce a wide range of hormones / AW ✓</p> <p>affect other , endocrine / hormone-producing , glands ✓</p> <p>explanation of symptom caused by injury to G or H from Fig. 16.2 ✓</p>	max 2	2.1	<p>MP1 ignore letters</p> <p>e.g. damage to thermoregulatory centre in , G / hypothalamus , leads to increased sensitivity to cold</p> <p>e.g. damage to , H / pituitary , means reduction in (named) reproductive hormones which leads to menstrual irregularities</p>

H420/01

Mark Scheme

October 2021

16	(b)	(iv)	<p>damage to other endocrine glands could cause similar symptoms ✓</p> <p>symptoms (may be) caused by , underlying conditions / other disease / co-morbidity ✓</p> <p>symptoms (may be) result of epigenetic factors ✓</p>	max 1	2.1	ALLOW e.g. damage to other organs could cause similar symptoms
16	(c)		<p>spinal cord ✓</p> <p>synapses ✓</p>	2	1.1	<p>DO NOT ALLOW spine</p> <p>ALLOW synaptic junction / synaptic gap</p>

Question			Answer	Mark	AO element	Guidance
17	(a)		K = islet of Langerhans ✓ L = blood vessel ✓	2	2.1	ALLOW arteriole / venule
17	(b)	(i)	beta / β (cells) ✓	1	1.1	
17	(b)	(ii)	glucose (concentration) causes release of insulin / AW ✓ change in insulin secretion is high enough to be measured / AW ✓	2	3.3 2.3	IGNORE synthesis or production of insulin ALLOW amount of insulin (secreted by the cells) was high enough to measure
17	(b)	(iii)	(unpaired) t-test ✓ because they are comparing <u>means</u> ✓	2	3.3 2.3	DO NOT ALLOW paired t-test IGNORE reference to tailed IGNORE standard deviation IGNORE reference to null hypothesis
17	(b)	(iv)	<u>probability</u> is , less than / < , 0.1% / 0.001 ✓ (so) results / differences between means , were due to <u>chance</u> ✓	2	2.4 3.1	ALLOW for 2 marks e.g. there is less than 1 in 1000 <u>probability</u> that the results are due to <u>chance</u> OR ora e.g. there is greater than 99.9% <u>probability</u> that results are not due to <u>chance</u>
17	(b)	(v)	Ca ²⁺ / calcium ions , do not enter (cells) ✓ less / no , exocytosis ✓	2	2.4	ALLOW for 1 max description of what happens without the inhibitor ALLOW less / no , movement of vesicles towards membrane ALLOW less / no , vesicles fuse with membrane DO NOT ALLOW vesicles not secreted

17	(c)*	<p>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p>In summary: <i>Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.) Using a ‘best-fit’ approach based on the science content of the answer, first decide which of the level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer.</i></p> <p><i>Then, award the higher or lower mark within the level, according to the Communication Statement (shown in italics):</i></p> <ul style="list-style-type: none"> ○ <i>award the higher mark where the Communication Statement has been met.</i> ○ <i>award the lower mark where aspects of the Communication Statement have been missed.</i> <p>• The science content determines the level. • The Communication Statement determines the mark within a level.</p>			
		<p>Level 3 (5–6 marks) An evaluation that includes treatments with insulin (past and current) AND includes another treatment (current / potential) e.g. transplant. Includes advantage and disadvantage statements for insulin and another treatment.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) An evaluation that includes treatment with insulin (past or current) AND includes another treatment (current / potential) e.g. transplant. Includes advantage and disadvantage statements for either insulin or another treatment.</p> <p><i>There is a line of reasoning presented with some structure. The information presented is in the most-part relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) Description of any treatment for Type I diabetes. Includes an advantage OR disadvantage statement.</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p>	6	1.1 3.2	<p><i>Indicative scientific points include:</i></p> <p>Insulin treatments:</p> <p><i>past</i></p> <ul style="list-style-type: none"> • from animal pancreas e.g. pig <p><i>current</i></p> <ul style="list-style-type: none"> • from e.g. GM / recombinant bacteria / humulin <p>Other current / potential treatments:</p> <ul style="list-style-type: none"> • transplant of pancreas / islets • transplant of (pancreatic) stem cells • immunotherapies / gene therapy <p><i>Advantages /disadvantages should be linked to treatment being discussed</i></p> <p>Advantages of insulin</p> <p><i>animal-derived insulin</i></p> <ul style="list-style-type: none"> • tried and tested method • early treatment kept people alive <p><i>‘human’ insulin</i></p> <ul style="list-style-type: none"> • high purity • less risk of allergic reaction • lower production cost • overcomes religious / ethical issues of animal products • use of smart pens / pumps • detail of pump use e.g. monitored by apps <p>Disadvantages of insulin</p>

H420/01

Mark Scheme


October 2021

		<p>0 marks <i>No response or no response worthy of credit.</i></p>		<p><i>animal-derived insulin</i></p> <ul style="list-style-type: none"> • needs to be purified • risk of allergic reaction • high production cost • religious / ethical issues of animal products <p><i>'human' insulin</i></p> <ul style="list-style-type: none"> • people persuaded to change from previous insulin regime e.g. animal insulin • some may not understand technology of injection routine • side effects of pumps e.g. hard lumps forming under skin <p>Advantages of other treatments</p> <p><i>e.g. transplants</i></p> <ul style="list-style-type: none"> • less / no need for insulin injections • more physiological control of blood glucose compared with injection • reduce risk of 'hypos' • improved quality of life • stem cells turned into functioning β-cells <p><i>e.g. immunotherapies</i></p> <ul style="list-style-type: none"> • 'reprogrammes' immune system • prevents / stops damage to β-cells <p>Disadvantages of other treatments:</p> <p><i>e.g. transplants</i></p> <ul style="list-style-type: none"> • requirement for immunosuppression • availability of donor tissue • ethical issues associated with stem cells • risk of cancer with stem cells • not suitable for certain people e.g. those with poor kidney function • may still need low dose of insulin • initial high costs <p><i>e.g. immunotherapies</i></p> <ul style="list-style-type: none"> • still in early stages • need clinical trials
--	--	--	--	---

H420/01

Mark Scheme

October 2021

Question			Answer	Mark	AO element	Guidance
18	(a)	(i)	N = central vein / <u>intra</u> lobular blood vessel ✓ O = hepatocyte / liver cell ✓	2	2.1 2.1	ALLOW branch of hepatic vein
18	(a)	(ii)	thin / flat , cells ✓ short diffusion distance ✓ OR fenestrated / AW ✓ increases permeability ✓	max 2	2.1	DO NOT ALLOW thin cell wall
18	(b)		prosthetic group ✓ induced fit ✓ non-competitive inhibition ✓	3	2.1	
18	(c)			1	2.2	ALLOW any curve that starts at origin and stays below the curve given in Fig. 18.2. DO NOT ALLOW negative gradients

Question			Answer	Mark	AO element	Guidance
19	(a)	(i)	nicotinamide adenine dinucleotide phosphate / NADP ✓	1	1.1	ALLOW NADP ⁺ DO NOT ALLOW NADPH / reduced NADP
19	(a)	(ii)	(final) electron acceptor ✓ replaces , NADP / the usual electron acceptor ✓ allows photolysis to continue ✓	Max 2	2.3	ALLOW proton / hydrogen (ion) acceptor
19	(a)	(iii)	Tube A: photosystems / components , are not in , stroma / supernatant / liquid ✓ Tube B: proteins / enzymes / (intact) membranes , are needed ✓ Tubes C & D: light is required (for electron transport / reduction of DCPIP) ✓ Tube E: DCPIP does not spontaneously , decolourise / reduce / AW ✓	4	3.2	ALLOW stage only takes place in chloroplasts / thylakoids / thylakoid membranes ALLOW stage does not take place in the stroma ALLOW photosystems are contained in , thylakoids / thylakoid membranes / pellet / sediment ALLOW ATP synthase needed ALLOW reactions stop when , enzymes denatured / membranes disrupted

H420/01

Mark Scheme

October 2021

19	(a)	(iv)	<p>(buffer) maintains optimum pH OR enzymes / proteins , have an optimum pH ✓</p> <p>(no sucrose) no need to prevent damage to chloroplasts / AW OR damage to chloroplasts increases access of DCPIP to (reaction) components ✓</p>	max 2	2.7 3.4	<p>1 max for buffer and 1 max for sucrose</p> <p>ALLOW if pH changes , proteins / enzymes , denature</p>
19	(a)	(v)	<p>I1 use ice-cold solutions ✓</p> <p>E1 prevents damage to components / reduces rate of enzyme reactions ✓</p> <p>I2 centrifuge at different speeds ✓</p> <p>E2 to obtain different fractions / AW OR to obtain a pellet containing mainly chloroplasts / AW ✓</p> <p>I3 use , a heat shield / water bath ✓</p> <p>E3 so that temperature (of all tubes) is , not a variable / controlled / kept constant ✓</p> <p>I4 use same , light source / distance from light source , for illuminated tubes ✓</p> <p>E4 so that light , intensity / wavelength , is , not a variable / controlled / kept constant (for those tubes) ✓</p>	max 4	3.3	<p>1 mark for each improvement (I) and 1 mark for correct explanation (E). <i>Explanation must correspond to improvement</i> I1 ALLOW keep , extract / AW , cold</p> <p>E2 ALLOW to remove , cell debris / nuclei / membranes</p>

H420/01

Mark Scheme

October 2021

19	(b)	(i)	respiration produces , carbon dioxide / CO ₂ , that is used in photosynthesis ✓	max 1	2.5	
			photosynthesis produces , oxygen / O ₂ , that is used in respiration ✓		2.5	
			dead leaves / decomposition , replaces (named) nutrients ✓			
19	(b)	(ii)	because they are xerophytes ✓	max 1	2.1	ALLOW suited to / live in , dry environments IGNORE hot environment
			because the conditions are too , moist / wet ✓		2.1	

H420/01

Mark Scheme

October 2021

Question			Answer	Mark	AO element	Guidance
20	(a)		<p>P1 do not allow air to enter , cut end / shoot ✓ E1 prevent airlock / ensures continuous column of water ✓</p> <p>OR</p> <p>P2 keep named abiotic factor constant / AW ✓ E2 affects , rate of transpiration / evaporation of water ✓</p> <p>OR</p> <p>P3 keep screw clip closed ✓ E3 prevents entry of water whilst measuring / AW ✓</p>	max 2	1.2	<p>1 mark for precaution and 1 mark for corresponding explanation</p> <p>P1 ALLOW method that prevents entry of air, e.g. cutting / assembling under water P1 IGNORE do not introduce air bubbles into the capillary tube.</p> <p>P2 e.g. temperature / humidity</p>
20	(b)	(i)	<p>FIRST CHECK ON ANSWER LINE If answer = 2.3 award 2 marks</p> <p>SD = 2.30217 ✓ Correct answer to 2 s.f. ✓</p>	2	2.8	ALLOW for 1 mark 2.30
20	(b)	(ii)	data for 'fan off' are , more spread out about the mean / less precise ✓	1	3.2	ALLOW data were less repeatable ALLOW ora for 'fan on'
20	(c)	(i)	<p>flatten / AW , leaves (on to graph paper) ✓</p> <p>account for / AW , partially covered squares ✓</p> <p>double leaf area to give total of both surfaces / AW ✓</p>	max 2	2.6	ALLOW e.g. only count squares more than 50% covered

H420/01

Mark Scheme

October 2021

20	(c)	(ii)	FIRST CHECK ON ANSWER LINE If answer = 4.9×10^{-2} award 2 marks $30 \text{ mm}^3 \text{ min}^{-1} = 1\,800 \text{ mm}^3 \text{ hr}^{-1} = 1.8 \text{ cm}^3 \text{ hr}^{-1} \checkmark$ $1.8 \div 37 = 0.0486 = 4.9 \times 10^{-2} \text{ cm}^3 \text{ hr}^{-1} \text{ cm}^{-2} \checkmark$	2	2.6 2.6	Must be 2SF and standard form for 2 marks If answer is incorrect ALLOW for 1 mark 0.049 / 0.0486
20	(d)		(produced) in , meristems / cambium \checkmark (by) differentiation (from stem cells) \checkmark	2	1.2	ALLOW specialised IGNORE mitosis

Question		Answer	Mark	AO element	Guidance
20	(e)*	<p>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p>In summary: Read through the whole answer. (Be prepared to recognise and credit unexpected approaches where they show relevance.) Using a 'best-fit' approach based on the science content of the answer, first decide which of the level descriptors, Level 1, Level 2 or Level 3, best describes the overall quality of the answer. Then, award the higher or lower mark within the level, according to the Communication Statement (shown in italics):</p> <ul style="list-style-type: none"> ○ award the higher mark where the Communication Statement has been met. ○ award the lower mark where aspects of the Communication Statement have been missed. <p>• The science content determines the level. • The Communication Statement determines the mark within a level.</p>			
		<p>Level 3 (5–6 marks) A description that includes mass flow and phloem loading and unloading.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) A description that includes mass flow and phloem loading or unloading.</p> <p><i>There is a line of reasoning presented with some structure. The information presented is in the most-part relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) A description that includes either mass flow or phloem loading or unloading.</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks</p>	6	1.1	<p><i>Indicative scientific points may include</i></p> <p>Phloem loading</p> <ul style="list-style-type: none"> • Glucose is converted to an assimilate / sucrose in photosynthesising cells • Apoplast route • Active process • Proton pump in companion cells • H⁺ concentration gradient • Co-transport of H⁺ and sucrose into companion cell • Structural adaptations of companion cells, e.g. many mitochondria, increase surface area of cell surface membranes • Passive loading via symplast route • Role of plasmodesmata • entry of sucrose / solutes decreases water potential of phloem / sieve elements • water enters phloem from surrounding cells / xylem • results in higher hydrostatic pressure <p>Mass flow</p> <ul style="list-style-type: none"> • Bulk transport of sucrose caused by pressure difference • Entry / exit of water / solutes affects hydrostatic pressure • Movement from source to sink • e.g. leaf is source

H420/01

Mark Scheme

October 2021

			<i>No response or no response worthy of credit.</i>			<ul style="list-style-type: none">• e.g. root is sink• Role of hydrostatic pressure gradient from source to sink• High hydrostatic pressure in source phloem explains rapid transport over long distance <p>Phloem unloading</p> <ul style="list-style-type: none">• Diffusion of sucrose from phloem to surrounding cells• Sucrose converted back to glucose• Glucose used for respiration• Converted to starch for storage• Concentration gradient of sucrose maintained between phloem and cells• Occurs wherever cells need glucose / sucrose• Loss of sucrose / solutes increases water potential of phloem• water leaves phloem to surrounding cells / xylem• results in lower hydrostatic pressure
--	--	--	---	--	--	--

Question			Answer	Mark	AO element	Guidance
21	(a)	(i)	(water potential) decreases / more negative ✓	1	1.1	
21	(a)	(ii)	large plasma proteins cannot , pass out through capillary wall / leave the blood , but other solutes can ✓ imbalance of large plasma proteins between blood and tissue fluid results in oncotic pressure ✓	2	2.1	
21	(b)	(i)	$J_v = (4.5 - 0.15) - 0.75 (4.2 - 0.03) = 1.22 \text{ (kPa)}$ ✓ out of capillary / outward ✓	2	2.2	ALLOW 1.2 / 1.2225 / 1.223 ALLOW into <u>tissue fluid</u>
21	(b)	(ii)	reduction in albumin concentration reduces (capillary) oncotic pressure ✓ (so) increase the net driving force ✓	2	2.2	
21	(b)	(iii)	student is correct because... net driving force , is higher / has increased ✓ (so) more tissue fluid formed ✓ student is incorrect because... kidney damage could lead to more loss of water (in urine) ✓ no information about , hydrostatic pressure / tissue oncotic pressure , in patients ✓ single patient could respond atypically ✓ (inflammation leading to) reduction in value of reflectance factor could increase , albumin / protein , in tissue fluid ✓	max 4	3.1	ALLOW less , fluid / water , returned to blood ALLOW reduction in σ could increase oncotic pressure in tissue fluid

Question		Answer	Mark	AO element	Guidance												
21	(c)	<table border="1"> <thead> <tr> <th>Statement</th> <th>True</th> <th>False</th> </tr> </thead> <tbody> <tr> <td>Lymph is similar in composition to tissue fluid but has more oxygen.</td> <td></td> <td>✓</td> </tr> <tr> <td>Tissue fluid does not contain lymphocytes because they are too large to pass through capillary wall.</td> <td></td> <td>✓</td> </tr> <tr> <td>Lymph contains more protein than tissue fluid because of antibody production by plasma cells.</td> <td>✓</td> <td></td> </tr> </tbody> </table> <p style="text-align: right;">3 correct ✓✓ 2 correct ✓</p>	Statement	True	False	Lymph is similar in composition to tissue fluid but has more oxygen.		✓	Tissue fluid does not contain lymphocytes because they are too large to pass through capillary wall.		✓	Lymph contains more protein than tissue fluid because of antibody production by plasma cells.	✓		2	1.1	IGNORE crosses
Statement	True	False															
Lymph is similar in composition to tissue fluid but has more oxygen.		✓															
Tissue fluid does not contain lymphocytes because they are too large to pass through capillary wall.		✓															
Lymph contains more protein than tissue fluid because of antibody production by plasma cells.	✓																

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored