

GCE

Chemistry B

H033/02: Chemistry in depth

AS Level

Mark Scheme for June 2022

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2022

MARKING INSTRUCTIONS PREPARATION FOR MARKING RM ASSESSOR

- 1. Make sure that you have accessed and completed the relevant training packages for on-screen marking: *RM Assessor Assessor Online Training*; *OCR Essential Guide to Marking*.
- 2. Make sure that you have read and understood the mark scheme and the question paper for this unit. These are posted on the RM Cambridge Assessment Support Portal http://www.rm.com/support/ca
- 3. Log-in to RM Assessor and mark the **required number** of practice responses ("scripts") and the **number of required** standardisation responses.

YOU MUST MARK 10 PRACTICE AND 10 STANDARDISATION RESPONSES BEFORE YOU CAN BE APPROVED TO MARK LIVE SCRIPTS.

MARKING

- 1. Mark strictly to the mark scheme.
- 2. Marks awarded must relate directly to the marking criteria.
- 3. The schedule of dates is very important. It is essential that you meet the RM Assessor 50% and 100% (traditional 40% Batch 1 and 100% Batch 2) deadlines. If you experience problems, you must contact your Team Leader (Supervisor) without delay.
- 4. If you are in any doubt about applying the mark scheme, consult your Team Leader by telephone or the RM Assessor messaging system, or by email.

5. Crossed Out Responses

Where a candidate has crossed out a response and provided a clear alternative then the crossed out response is not marked. Where no alternative response has been provided, examiners may give candidates the benefit of the doubt and mark the crossed out response where legible.

Rubric Error Responses – Optional Questions

Where candidates have a choice of question across a whole paper or a whole section and have provided more answers than required, then all responses are marked and the highest mark allowable within the rubric is given. Enter a mark for each question answered into RM assessor, which will select the highest mark from those awarded. (The underlying assumption is that the candidate has penalised themselves by attempting more questions than necessary in the time allowed.)

Multiple Choice Question Responses

When a multiple choice question has only a single, correct response and a candidate provides two responses (even if one of these responses is correct), then no mark should be awarded (as it is not possible to determine which was the first response selected by the candidate).

When a question requires candidates to select more than one option/multiple options, then local marking arrangements need to ensure consistency of approach.

Contradictory Responses

When a candidate provides contradictory responses, then no mark should be awarded, even if one of the answers is correct.

Short Answer Questions (requiring only a list by way of a response, usually worth only **one mark per response**)

Where candidates are required to provide a set number of short answer responses then only the set number of responses should be marked. The response space should be marked from left to right on each line and then line by line until the required number of responses have been considered. The remaining responses should not then be marked. Examiners will have to apply judgement as to whether a 'second response' on a line is a development of the 'first response', rather than a separate, discrete response. (The underlying assumption is that the candidate is attempting to hedge their bets and therefore getting undue benefit rather than engaging with the question and giving the most relevant/correct responses.)

Short Answer Questions (requiring a more developed response, worth two or more marks)

If the candidates are required to provide a description of, say, three items or factors and four items or factors are provided, then mark on a similar basis – that is downwards (as it is unlikely in this situation that a candidate will provide more than one response in each section of the response space.)

Longer Answer Questions (requiring a developed response)

Where candidates have provided two (or more) responses to a medium or high tariff question which only required a single (developed) response and not crossed out the first response, then only the first response should be marked. Examiners will need to apply professional judgement as to whether the second (or a subsequent) response is a 'new start' or simply a poorly expressed continuation of the first response.

6. Always check the pages (and additional objects if present) at the end of the response in case any answers have been continued there. If the candidate has continued an answer there, then add a tick to confirm that the work has been seen.

7. Award No Response (NR) if:

• there is nothing written in the answer space

Award Zero '0' if:

anything is written in the answer space and is not worthy of credit (this includes text and symbols).

Team Leaders must confirm the correct use of the NR button with their markers before live marking commences and should check this when reviewing scripts.

- 8. The RM Assessor **comments box** is used by your team leader to explain the marking of the practice responses. Please refer to these comments when checking your practice responses. **Do not use the comments box for any other reason.**If you have any questions or comments for your team leader, use the phone, the RM Assessor messaging system, or e-mail.
- 9. Assistant Examiners will send a brief report on the performance of candidates to their Team Leader (Supervisor) via email by the end of the marking period. The report should contain notes on particular strengths displayed as well as common errors or weaknesses. Constructive criticism of the question paper/mark scheme is also appreciated.
- 10. For answers marked by levels of response: Not applicable in F501
 - a. To determine the level start at the highest level and work down until you reach the level that matches the answer
 - b. To determine the mark within the level, consider the following

| Descriptor | Award mark |
|---|---|
| On the borderline of this level and the one below | At bottom of level |
| Just enough achievement on balance for this level | Above bottom and either below middle or at middle of level (depending on number of marks available) |

| Meets the criteria but with some slight | Above middle and either below top of level or at middle of level (depending on number of |
|--|--|
| inconsistency | marks available) |
| Consistently meets the criteria for this level | At top of level |

Level of response questions on this paper are 3(d) and 4(d)

11. Annotations available in RM Assessor

| Meaning |
|--|
| Correct response |
| Incorrect response |
| Omission mark |
| Benefit of doubt given |
| Contradiction |
| Rounding error |
| Error in number of significant figures |
| Error carried forward |
| Level 1 |
| Level 2 |
| Level 3 |
| Benefit of doubt not given |
| Noted but no credit given |
| Ignore |
| |

12. Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

| Annotation | Meaning |
|--------------|---|
| 1 | alternative and acceptable answers for the same marking point |
| √ | Separates marking points |
| DO NOT ALLOW | Answers which are not worthy of credit |
| IGNORE | Statements which are irrelevant |
| ALLOW | Answers that can be accepted |
| () | Words which are not essential to gain credit |
| _ | Underlined words must be present in answer to score a mark |
| ECF | Error carried forward |
| AW | Alternative wording |
| ORA | Or reverse argument |

13. Subject-specific Marking Instructions

INTRODUCTION

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

| C | uest | ion | Answer | Marks | AO element | Guidance |
|---|------|------|---|-------|------------|--|
| 1 | (a) | (i) | similar – <u>lines</u> in same/similar place√ different – <u>black</u> lines on <u>coloured</u> background ✓ | 2 | 1.1 x 2 | ALLOW lines at same wavelength/frequency |
| | | (ii) | electrons exist in quantised/discrete/specific energy levels/(sub) shells/energy levels ✓ | 1 | 1.1 | IGNORE answer in terms of origin of emission spectra IGNORE reference to number of energy levels |
| | (b) | (i) | $Mg(g) \rightarrow Mg^{+}(g) + e^{(-)}$ $Mg/Mg^{+}/e^{(-)} \checkmark \text{ state symbols } \checkmark$ | 2 | 1.2 x 2 | ALLOW e with or without negative sign |
| | | (ii) | (across the Period) number of protons/nuclear charge increases ✓ electrons are in same energy level/same shell/same distance (from nucleus)/have no increase in shielding ✓ the <u>outer</u> electrons are attracted more strongly to the nucleus AND gets harder to remove the outer electron ✓ | 3 | 1.1 x 3 | ALLOW reference to electrons from the previous part of the question for MP3 |
| | (c) | | FIRST CHECK THE ANSWER ON THE ANSWER LINE If answer = 24.33 award 2 marks (78.60 x 24) + (10.11 x 25) + (11.29 x 26) / 100 = (1886.4 + 252.75 + 293.54) / 100 ✓ = 24.3269 = 24.33 (2 d.p.) ✓ | 2 | 2.6 x 2 | ECF allowed from error in calculation for 2dp answer |
| | (d) | | 12 C 6 | 1 | 1.2 | ALLOW numbers before or after C |

| (e) | (explanation) the magnesium chloride/salt will be contaminated with (excess/unreacted) magnesium oxide ✓ (correct method) <u>filter</u> (to remove excess magnesium oxide) ✓ Allow the mixture to partially evaporate/heat till half solution is removed (AW) ✓ allow (filtrate) to crystallise and air dry (AW) OR filter off crystals after cooling (off hydrated magnesium chloride) ✓ | 4 | 3.3 x 1 3.4 x 3 | |
|-----|---|----|--------------------|---|
| (f) | any two from ✓✓ faster effervescence/fizzing Ba disappears more quickly clear/less cloudy (white) solution higher temperature rise/value quoted > 26 °C | 2 | 2.7 x 2 | ALLOW 'higher pH'/ pH value quoted > 11 |
| (g) | correct that Sr more reactive than Mg but does not explain the trend (AW) the one that turns the limewater cloudy in the shortest time will be the magnesium carbonate/ magnesium carbonate is less thermally stable (ora) the magnesium (cat)ion is smaller (than the strontium ion) AND polarises/distorts the (large) carbonate ion more (than the strontium ion) (or reverse reasoning) | 3 | 3.2 x 3 | ALLOW Sr more reactive than Mg statement if MP2 and/or 3 is correctly identified ALLOW reference to charge density for MP3 DO NOT ALLOW reference to atom |
| (h) | (1s²) 2s² 2p ⁶ ✓ | 1 | 1.1 | ALLOW non-superscript numbers |
| | Total | 21 | | |

| C | Quest | ion | Answer | Marks | AO element | Guidance |
|---|-------|-------|---|-------|------------|--|
| 2 | (a) | (i) | the catalyst/it and the reactants are in different states/phase (of matter) ✓ | 1 | 1.1 | ALLOW the catalyst is a solid and the reactant(s) is/are (a) gas(es) |
| | | (ii) | poison ✓ | 1 | 1.1 | |
| | | (iii) | Liquid paraffin $C_{12}H_{26}$ Liquid collected C_6H_{14} Gas collected C_2H_4 \checkmark for all three | 1 | 2.3 | |
| | | (iv) | (they are/contain) unsaturated/alkenes ✓ | 1 | 2.3 | ALLOW contains C=C bond |
| | (b) | (i) | (it) provides an alternative reaction pathway of lower activation energy ✓ | 1 | 1.1 | ALLOW new route |
| | | (ii) | Stage 2 (reactant) bonds (weaken and) break Stage 3 product/new bonds form ✓ for both | 1 | 1.1 | |
| | | (iii) | If answer = $0.0027/2.7 \times 10^{-3} \text{ (m}^3\text{)}$ award 4 marks | 4 | 2.2 x 4 | ALLOW ECF Throughout |
| | | | M (C ₄ H ₁₀) = 58 g mol ⁻¹ n (C ₄ H ₁₀) = (1.0 / 58) = 1.7(24) x 10 ⁻² mol \checkmark n (O ₂) = (6½ x 1.7(24) x 10 ⁻²) = 1.1(21) x 10 ⁻¹ vol (O ₂) = (1.1(21) x 10 ⁻¹ x 24) = 2.7 dm ³ \checkmark | | | 2.69 scores 2 marks |
| | | | vol (O ₂) = 0.0027 (any sf) \checkmark 0.0027/2.7 x 10 ⁻³ (m ³) 2 sf \checkmark | | | |

| (c) | (i) | $O_3 + O \rightarrow 2O_2 \checkmark$ | 1 | 2.5 | ALLOW O ₃ + O O ₂ + O ₂ IGNORE dots on radicals and state symbols |
|-----|------|--|----|---------|--|
| | (ii) | chlorine/Cl AND homogeneou ✓ | 1 | 2.1 | ALLOW atom/radical with/without 'dot' |
| (d) | | FIRST CHECK THE ANSWER ON THE ANSWER LINE If answer = $C_2F_2Cl_4$ award 3 marks | 3 | 2.2 x 3 | ALLOW ECF throughout |
| | | n /mol C : F: $Cl = (11.7 / 12) : (18.8 / 19) : (69.5 / 35.5)$ n /mol C : F: $Cl = 0.975 : 0.989 : 1.96 \checkmark$ | | | |
| | | n /mol C : F: $Cl = 1.00 : 1.01 : 2.01$ empirical formula = $CFCl_2 \checkmark$ | | | |
| | | relative mass of empirical formula = 102 molecular formula = $C_2F_2Cl_4$ ✓ | | | |
| | | Total | 15 | | |

| C | Quest | ion | Answer | Marks | AO element | Guidance |
|---|-------|-------|--|-------|---------------|---|
| 3 | (a) | (i) | the hydroxyl/OH/functional group is bonded/attached /joined to a carbon/C (atom) that has two/2 hydrogen/H (atoms) attached OR OH groups is attached to a C atom that is attached to one other C atom (AW) ✓ | 1 | 1.1 | |
| | | (ii) | potassium/sodium dichromate(VI) in (dilute) sulfuric acid AND (heat under) reflux ✓ | 1 | 1.2 | ALLOW acid(ified) dichromate Ignore oxidation states DO NOT ALLOW concentrated sulphuric acid |
| | | (iii) | the reaction has (started but) not gone to completion ✓ (because) (the sharp peak) at 1730 (cm ⁻¹) AND is a C=O in an aldehyde (so some aldehyde present) ✓ (but) (the broad peak) at 3300 (cm ⁻¹) AND O-H in -COOH (so some carboxylic acid/product also present) ✓ | 3 | 3.1 x 3 | MP1 must be linked to attempted evidence to show the reaction has not gone to completion Only allow MP1 if MP2 has been achieved ALLOW 1710 cm ⁻¹ AND C=O in COOH (for MP3) |
| | (b) | | elimination ✓ | 1 | 1.1 | DO NOT ALLOW dehydration |
| | (c) | | CH₂CH₂OH CH₂CH₂CI + HCI + H2O ✓ for HCI (reactant) AND H₂O (product) | 1 | 2.2 | IGNORE incorrect formulae of organic reactant and product |

| H033/02 | Mark Scheme | | | June 2022 | |
|---------|--|----------|------------------|--|--|
| H033/02 | Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Running the chromatogram is described in detail AND Analysis in detail and a correct conclusion based on the analysis There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated. Level 2 (3–4 marks) Running the chromatogram is described in outline AND Analysis is described in outline | eme 6 | 2.7 x3 3.2 x3 | Indicative scientific points include: fine detail in italic Running the chromatogram AO2.7 • place plate in a beaker of solvent • solvent below line • cover the beaker • remove plate when solvent front is near to top of plate • mark (in pencil) how far solvent has reached • allow plate to dry • locate the spots • using iodine or under a u.v. lamp | |
| | and logically structured. The information presented is relevant and substantiated. Level 2 (3–4 marks) Running the chromatogram is described in outline AND | | | mark (in pencil) how far solvent has reached allow plate to dry locate the spots | |

| There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant. O marks No response or no response worthy of credit. | | ethanoic anhydride reacts completely with compound A/no evidence of Z but ethanoic acid reacts incompletely IGNORE references to ethanoic acid being present in the right-hand chromatogram. |
|---|----|---|
| Total | 13 | |

| (| Question | | Answer | Marks | AO element | Guidance |
|---|----------|------|---|-------|------------|--|
| 4 | (a) | (i) | $C_8H_{18} + 12\frac{1}{2}O_2 \rightarrow 8CO_2 + 9H_2O \checkmark$ | 1 | 1.2 | ALLOW $2C_8H_{18} + 25O_2 \rightarrow 16CO_2 + 18H_2O$ |
| | | (ii) | high temperature ✓ | 1 | 1.2 | IGNORE high pressure ALLOW 1000 C or higher |
| | (b) | | FIRST CHECK THE ANSWER ON THE ANSWER LINE If answer = 86 award 4 marks $ (pV = nRT) \ n = pV \ / \ RT \ \checkmark $ $ n = (250 \times 10^3) \times (554 \times 10^{-6}) \ / \ 8.314 \times (60 + 273) \ \checkmark $ $ n = 0.050 \ \checkmark $ $ M_f = (4.3 \ / \ 0.050 \) = 86 \ \checkmark $ | 4 | 2.2 x 4 | ALLOW ECF throughout MP1 can be awarded if p, V, R and T are in the correct expression (or allow from calculation) MP2 is for unit conversions for p, V and T MP3 is for correct evaluation of n MP4 is for correct evaluation of M_r ALLOW 2 or more sf |
| | (c) | (i) | FIRST CHECK THE ANSWER ON THE ANSWER LINE If answer = (+)407 (kJ mol ⁻¹) award 3 marks $(\Delta_c H = \Sigma[average bond enthalpies of reactants] - \Sigma[average bond enthalpies of products]) (-676 = [3(x) + (C-O) + (O-H) + 1\frac{1}{2}(O=O)] - [2(C=O) + 4(O-H)]) (where x = average bond enthalpy of C-H) -676 = -[3(x) + (358) + (464) + 1\frac{1}{2}(498)] - [2(805) + 4(464)] -676 = [1569 + 3x - 3466] 3x = 1221 x = (+) 407(kJ mol^{-1}) ✓ for 1569 (bonds broken [without 3x]) ✓ for 3466 (bonds made) ✓ for (+)407 (rearranging eqn, substituting, dividing by 3)$ | 3 | 2.2 x 3 | IGNORE signs in calculations -407 award 2 marks |

| | energy is required to turn methanol and/or water into gases ✓ | 1 | 3.2 | ALLOW bond enthalpies are (calculated) in the gas state ALLOW methanol and/or water are liquids under standard conditions ALLOW average bond enthalpies used |
|-----|---|---|---------|--|
| (i | there are more electrons between the atoms of the double bond/in the double bond ✓ giving greater attraction between the (bonded) nuclei/atoms or nuclei/atoms are pulled closer together ✓ | 2 | 2.1 x 2 | |
| (d) | CHECK ANSWER ON ANSWER LINE If answer = -390 (kJ mol ⁻¹) award 3 marks $ (q = mc\Delta T) $ $ q = [100 \times 4.18 \times (45.0\text{-}17.0)] = 11704 \text{ J} / 11.704 \text{ KJ} \checkmark $ $ M_r \text{ CH}_3\text{OH} = 32.0 $ $ (12.58 - 11.62) = 0.96 \text{ g CH}_3\text{OH} $ $ amount of methanol = (0.96 / 32.0) = 0.030 \text{ mol } \checkmark $ $ \Delta H = [-(1 / 0.030) \times 11704] = 390133 \text{ J} $ $ (\text{Alternative}) = [-(1/0.030) \times 11.704] = 390.133 \text{ KJ} $ $ \Delta H = -390 \text{ (kJ mol}^{-1}) \checkmark $ | 3 | 2.8 x 3 | ALLOW ECF throughout Award 2 marks if answer line shows: -49.1 -45.4 -3.75 Negative sign needed for last MP ALLOW 2 or more significant figures |

H033/02

| Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question. Level 3 (5–6 marks) Most refinements are suggested and justified to improve accuracy in detail. There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated. Level 2 (3–4 marks) Some refinements are suggested and justified to improve accuracy. There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence. Level 1 (1–2 marks) A few refinements are suggested/justified to improve accuracy. There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant. O marks No response or no response worthy of credit. | Place a lid on the calorimeter To reduce evaporation of the water/helloss pour water into a copper can |
|---|--|
|---|--|

Mark Scheme

June 2022

| H033/02 | Mark S | cheme | June 2022 |
|---------|--------|-------|--|
| | | | Use of a Bomb Calorimeter Removes errors in heat loss, better conductivity, greater heat transfer, more even distribution |
| | Tota | 21 | |

Need to get in touch?

If you ever have any questions about OCR qualifications or services (including administration, logistics and teaching) please feel free to get in touch with our customer support centre.

Call us on

01223 553998

Alternatively, you can email us on

support@ocr.org.uk

For more information visit

ocr.org.uk/qualifications/resource-finder

ocr.org.uk

Twitter/ocrexams

/ocrexams

in /company/ocr

/ocrexams



OCR is part of Cambridge University Press & Assessment, a department of the University of Cambridge.

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored. © OCR 2022 Oxford Cambridge and RSA Examinations is a Company Limited by Guarantee. Registered in England. Registered office The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA.

Registered company number 3484466. OCR is an exempt charity.

OCR operates academic and vocational qualifications regulated by Ofqual, Qualifications Wales and CCEA as listed in their qualifications registers including A Levels, GCSEs, Cambridge Technicals and Cambridge Nationals.

OCR provides resources to help you deliver our qualifications. These resources do not represent any particular teaching method we expect you to use. We update our resources regularly and aim to make sure content is accurate but please check the OCR website so that you have the most up-to-date version. OCR cannot be held responsible for any errors or omissions in these resources.

Though we make every effort to check our resources, there may be contradictions between published support and the specification, so it is important that you always use information in the latest specification. We indicate any specification changes within the document itself, change the version number and provide a summary of the changes. If you do notice a discrepancy between the specification and a resource, please <u>contact us</u>.

Whether you already offer OCR qualifications, are new to OCR or are thinking about switching, you can request more information using our <u>Expression of Interest form</u>.

Please get in touch if you want to discuss the accessibility of resources we offer to support you in delivering our qualifications.