



# Friday 20 May 2022 – Afternoon AS Level Biology A

H020/01 Breadth in biology

Time allowed: 1 hour 30 minutes

- a ruler (cm/mm)
- · a scientific or graphical calculator



Please write clearly in black ink. Do not write in the barcodes.						
Centre number				Candidate number		
First name(s)						
Last name						

#### **INSTRUCTIONS**

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer all the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

#### **INFORMATION**

- The total mark for this paper is 70.
- The marks for each question are shown in brackets [ ].
- · This document has 24 pages.

#### **ADVICE**

· Read each question carefully before you start your answer.


#### 2 SECTION A

You should spend a maximum of 25 minutes on this section.

Write your answer for each question in the box provided.

Answer all the questions.

1 The graph below shows the results of an osmosis experiment investigating the effect of changing the concentration of sodium chloride (NaCl) on mass of potatoes.



Which concentration of NaCl causes equal movement of water into and out of the potato?

- **A** 0.36 mol dm<sup>-3</sup>
- **B**  $0.40 \, \text{mol dm}^{-3}$
- $C = 0.42 \, \text{mol dm}^{-3}$
- $\mathbf{D}$  0.62 mol dm<sup>-3</sup>

Your answer	[1
	•

Your answer

2	The reaction between carbon dioxide and water forms carbonic acid. This reaction is catalysed
	by the enzyme carbonic anhydrase. To catalyse this reaction, carbonic anhydrase needs a cofactor that attaches to its active site as a prosthetic group.
	What is the correct cofactor for carbonic anhydrase?

Wh	What is the correct cofactor for carbonic anhydrase?				
Α	Ca <sup>2+</sup>				
В	Cl <sup>-</sup>				
С	H <sup>+</sup>				
D	Zn <sup>2+</sup>				

[1]

3 The table shows the numbers of different species of invertebrates found in four different areas in a woodland.

Aroo	Invertebrate species				
Area	Woodlice	Spiders	Beetles	Millipedes	
Α	15	20	1	0	
В	2	7	6	7	
С	25	1	7	3	
D	8	0	2	17	

Which row shows the area that has the greatest species richness **and** greatest species evenness?

Your answer		Į.	1
Tour ariswer		ι	•

4

4 The table shows the chemical symbols for some inorganic ions involved in biological processes.

	Ammonium ion	Calcium ion	Nitrate ion
Α	NH <sub>4</sub> <sup>+</sup>	Ca <sup>+</sup>	NO <sub>2</sub> -
В	NH <sub>4</sub> <sup>-</sup>	Ca <sup>2+</sup>	NO <sub>3</sub> -
С	NH <sub>4</sub> <sup>+</sup>	Ca <sup>2+</sup>	NO <sub>3</sub> <sup>-</sup>
D	NH <sub>4</sub> <sup>+</sup>	Ca <sup>2+</sup>	NO <sub>2</sub> -

Which row gives the correct chemical symbols for all of these inorganic ions?

Your answer	[1]
-------------	-----

**5** Researchers have calculated that the probability of bacterial DNA having a mutation is 1/333 in a single division.

A gene has DNA that codes for amino acids and is called coding DNA. The rest of the DNA in a genome has base sequences that do not code for amino acids and is called non-coding DNA.

Bacterial genome studies have shown that the average proportion of a bacterial genome that has non-coding DNA is 3/25.

What is the probability of a dividing bacterium having a mutation in a gene that codes for a protein in a single division?

- **A** 1/2775
- **B** 22/8325
- C 1024/8325
- **D** 7351/8325

Your answer	[1]

**6** Restriction endonucleases are a group of enzymes that carry out hydrolysis reactions that cut long DNA molecules into shorter lengths.

Which of the options describes how restriction endonucleases carry out hydrolysis reactions on a DNA molecule?

- **A** They break the glycosidic bond between a ribose and a phosphate group.
- **B** They break the hydrogen bonds between nitrogenous bases.
- **C** They break the phosphodiester bond between a deoxyribose and a phosphate group.
- **D** They break the phosphodiester bond between a ribose and a phosphate group.

Your answer	[1]

7 A student carried out an investigation to see the effect of changing the concentration of the enzyme maltase. They used two different maltase concentrations (concentration **P** and **Q**) to break down the disaccharide maltose for 10 minutes. The student carried out the reducing sugar test and recorded the percentage absorbance of each solution using a colorimeter.

Their results are shown in the table.

Absorbance (arbitrary units)				
Maltase concentration P	Maltase concentration Q			
0.235	0.452			
0.253	0.523			
0.436	0.541			
0.258	0.361			
0.224	0.256			
0.236	0.236			

Which statistical test would be used to determine if there was a significant difference between the mean glucose concentration produced by maltase concentration  $\bf P$  and maltase concentration  $\bf Q$ ?

- A Chi-squared test
- **B** Spearman's rank correlation coefficient
- **C** *t*-test paired
- **D** *t*-test unpaired

Your answer		[1]

8	Inte	rnational t	trade in parts of the r	hinoceros inc	cluding rhino	horn has bee	n illegal since 1977.		
	Which organisation regulates this trade?								
	Α	CBD							
	В	CITES							
	С	CSS							
	D	IUCN							
	You	r answer						[1]	
9		following ein synthe	passage has four ke esis.	ey terms miss	sing, which ar	e names of m	olecules involved in		
	The enzyme1 joins nucleotides together to make a copy of the gene. This makes the molecule2, which leaves through the nuclear pore to bind to an organelle that is made of protein and3 The amino acids are assembled here when4 brings the specific amino acid to be joined to the polypeptide.								
	Whi	ich row giv	ves the correct name	es of these mi	issing molecu	iles?			
			1	2	3	4			
		Α	DNA polymerase	(t)RNA	(m)RNA	(r)RNA	-		
		В	RNA polymerase	(m)RNA	(r)RNA	(t)RNA			
		С	RNA polymerase	(m)RNA	(t)RNA	(r)RNA			
		D	RNA polymerase	(r)RNA	(t)RNA	(m)RNA			
	You	r answer						[1]	

10	Victoria cruziana is a tropical species of flowering plant, native to South America. Its leaves have stomata only on their upper surface and contain a large amount of aerenchyma tissue, which contains air spaces.
	Which group of plants does Victoria cruziana belong to?

Δ	Fninhytes

- **A** Epiphytes
- **B** Halophytes
- **C** Hydrophytes
- **D** Xerophytes

Your answer		[1]
-------------	--	-----

11 The temperature coefficient  $(Q_{10})$  for catalase is recorded in a data book as 1.15.

A student carries out an experiment to test if this  $Q_{10}$  value is correct and collects data with a high level of precision and accuracy.

Which row shows the correct definition of both precision and accuracy for their data?

	Precision	Accuracy
Α	results have a small standard deviation	mean result is close to 1.15
В	results have a small standard deviation	repeated readings close together
С	results recorded to a high number of decimal places	mean result is close to 1.15
D	results recorded to a high number of decimal places	repeated readings close together

Your answer	[1]
Tour answer	L''.

12 The table shows the dimensions of a dividing ball of cells and their surface area to volume ratios.

Number of divisions	Number of cells	Radius (mm)	Surface area (mm²)	Volume (mm³)	Surface area to volume ratio
0	1	0.5	3.14	0.52	6 : 1
3	8	1.0	12.57	4.19	3 : 1
5	32	1.5	28.27	14.14	2:1
6	64	2.0	50.27	33.51	

	6	64	2.0	50.27	33.51		
Wh	at is the bes	st estimate of th	e surface area	to volume ratio	after the cell h	as divided six tim	es
Α	7:4						
В	3:2						
С	5:4						
D	1:1						
Υοι	ır answer						[
Cel	Is in the leav	ves of plants sy	nthesise amino	acids.			
	ich of the state the state of t	atements expla	ins why plants	need a vascula	r system to su	oport amino acid	
Α	To transpo	rt amino acids	to the roots usir	ng xylem tissue			
В	To transpo	rt nitrates to the	e leaves using p	ohloem tissue			
С	To transpo	rt nitrates to the	e leaves using x	kylem tissue			
D	To transpo	rt sucrose to th	e leaves using	phloem tissue			
Υοι	ır answer						I

13

9

**14** Fick's Law describes the relationship between the rate of diffusion and factors that affect this rate.

This can be simplified as the equation:

Rate of diffusion  $\alpha$   $\frac{\text{surface area} \times \text{concentration gradient}}{\text{thickness of surface}}$ 


Inhalation of asbestos dust can cause a thickening of the alveolus wall.

Which option shows the change in the rate of diffusion if the alveolus wall increases from a thickness of  $2.0\,\mu m$  to  $2.5\,\mu m$ ?

- A Decreases by 20%
- B Decreases by 50%
- C Increases by 20%
- **D** Increases by 50%

Your answer [1]

15 The diagram shows the changes in pressure in the left atrium, left ventricle and aorta in a single cardiac cycle.



Which letter shows the point at which the semilunar valve opens?

Your answer [1]

**16** Diseases can be caused by many different types of pathogen.

Which row matches the disease to the correct pathogen?

	Fungus	Protoctist	Virus	
Α	black sigatoka	tomato late blight	influenza	
В	B black sigatoka	tomato late blight	ring rot	
С	tomato late blight	tomato late blight black sigatoka	influenza	
D	tomato late blight	black sigatoka	ring rot	

C The soluble plasma protein fibrinogen converts into insoluble fibrin to trap  D The soluble plasma protein fibrinogen converts into soluble fibrin to trap en  Your answer  A student is studying three unicellular organisms: the bacterium Escherichia con  Euglena gracilis and the fungus Saccharomyces cerevisiae.  Which feature is common to all three unicellular organisms?  A Cell wall  B Mitochondria		ır answer	[1]
17	Wh	ich option describes the correct process of blood clotting?	
	A	Platelets convert into insoluble fibrin to trap erythrocytes.	
	В	The insoluble plasma protein fibrinogen converts into soluble fibrin to trap erythrocytes.	
	С	The soluble plasma protein fibrinogen converts into insoluble fibrin to trap erythrocytes.	
	D	The soluble plasma protein fibrinogen converts into soluble fibrin to trap erythrocytes.	
	You	ur answer	[1]
18		tudent is studying three unicellular organisms: the bacterium Escherichia coli, the protoctist glena gracilis and the fungus Saccharomyces cerevisiae.	t
	Wh	ich feature is common to all three unicellular organisms?	
	Α	Cell wall	
	В	Mitochondria	
	С	Nucleus	
	D	Ribosomes	
	You	ır answer	[1]

19	Convalescent plasma immunity is one method used to treat patients infected with Ebola virus disease (EVD). In this method, blood plasma is taken from a person who has recovered from EVD and is injected into the patient with the EVD infection.							
	Whi	ch of the options describes this form of immunity?						
	Α	Artificial active immunity						
	В	Artificial passive immunity						
	С	Natural active immunity						
	D	Natural passive immunity						
	You	Your answer [1]						
20	An e	An enzyme hydrolyses a phospholipid molecule to release a fatty acid.						
	Wha	What is the name of the bond that is broken in this hydrolysis reaction?						
	Α	Ester						
	В	Glycosidic						
	С	Peptide						
	D	Phosphodiester						
	You	r answer	[1]					

#### 12 SECTION B

#### Answer all the questions.

- 21 Human insulin is a globular protein with a quaternary structure. One insulin molecule has 51 amino acids.
  - Fig. 21.1 shows the sequence of amino acids in one molecule of human insulin.




Fig. 21.1

(a) The amino acid cysteine is abbreviated to 'CYS' in Fig. 21.1. The side chain (R group) found in cysteine is shown in Fig. 21.2.

Complete Fig. 21.2 to show the structure of the amino acid cysteine.




Fig. 21.2

[3]

(b) Explain how Fig. 21.1 shows that insulin has a quaternary structure.

(c) Insulin is a hormone that regulates blood glucose concentration. People with type 1 diabetes need to inject insulin, to reduce their blood glucose concentration, as they are unable to produce their own insulin.

Diabetics need to inject insulin before every meal as insulin has a short half-life. Enzymes in the liver cells break down insulin, which removes it from the blood.

Insulin glargine is a modified version of human insulin that lasts much longer in the blood.

**Fig. 21.3** shows the sequence of amino acids in one molecule of human glargine with the modifications in **bold**.

/ AL-GLU-GLN-CYS-CYS-THR-SER-ILE-CYS-SER-LEU-TYR-GLN-LEU-GLU-ASN-TYR-CYS- <b>GLY</b>
N-GLN-HIS-LEU-CYS-GLY-SER-HIS-LEU-VAL-GLU-ALA-LEU-TYR-LEU-VAL-CYS-GLY-GLU
ARG-ARG-THR-LYS-PRO-THR-TYR-PHE-PHE-GLY-ARG
Fig. 21.3
Suggest why insulin glargine is long-lasting.
ARG-ARG-THR-LYS-PRO-THR-TYR-PHE-GLY-ARG-THR-LYS-PRO-THR-TYR-PHE-GLY-ARG-THR-LYS-PRO-THR-TYR-PHE-GLY-ARG-THR-TYR-TYR-PHE-GLY-ARG-THR-TYR-TYR-PHE-GLY-ARG-THR-TYR-TYR-TYR-TYR-TYR-TYR-TYR-TYR-TYR-TY

.....[1]

14

The table shows some of the DNA triplet codes for amino acids.

1 <sup>st</sup> base of DNA	·							3 <sup>rd</sup> base of DNA	
triplet	Т			С		Α		G	
	ATT	(ILE) Isoleucine	ACT		AAT	(ASN) Asparagine	AGT	(SER)	Т
A	ATC		ACC	(THR)	AAC		Asparagine	AGC	Serine
A	ATA		ACA	Threonine	AAA	(LYS)	AGA	(ARG)	A
	ATG	(MET) Methionine	ACG		AAG	Lysine	AGG	Arginine	G
	GTT		GCT	(ALA) Alanine	GAT	(ASP) Aspartic acid  (GLU) Glutamic acid	GGT		Т
G	GTC	(VAL)	GCC		GAC		GGC	(GLY)	С
9	GTA	Valine	GCA		GAA		GGA	Glycine	Α
	GTG		GCG		GAG		GGG		G

In order to produce insulin glargine, the human insulin gene is modified by genetic engineering. This is a process which can change the genetic code of the gene. The genetic code of DNA triplet 21 is changed so that the amino acid it codes for is glycine instead of asparagine.

(11)	so that it codes for the amino acid glycine instead of the amino acid asparagine.
	[2]

(iii)	The modified polypeptides that form insulin glargine are made inside cells.
	The process of making the modified polypentides that form insulin glargine involves


The process of making the modified polypeptides that form insulin glargine involves several steps. The process starts with the modified gene for insulin glargine.

form insulin glargine, starting with the gene for insulin glargine until when the modified polypeptides are made.
[4]

22	A st	udent gives a definition of one level of biodiversity as:
	7100	
		The number of different alleles for all the genes in a population.
	(a)	Name and define two other levels of biodiversity.
		Name
		Definition
		Name
		Definition
		[2]
	(b)	During the 20th Century, there was a very large decrease in the size of wild populations of the cheetah, <i>Acinonyx jubatus</i> . This decrease was largely due to hunting. Recent research shows that wild populations of the cheetah have a very low number of polymorphic genes.
		There are 17863 gene loci in the genome of the cheetah and now only 10% of these gene loci are polymorphic in wild populations.
		Scientists investigated the genetic biodiversity of cheetah populations in European zoos. They sampled 256 gene loci and found 18 gene loci to be polymorphic.
		(i) Calculate the proportion of polymorphic gene loci in the European zoo population.
		Proportion =[2]

(ii)	A second group of scientists carried out a separate investigation to calculate the proportion of polymorphic gene loci of cheetahs in European zoos and found that the results were different. These new results were accepted as being accurate.	ir
	Suggest <b>two</b> reasons why the calculated proportion of polymorphic gene loci in the European zoo population of cheetahs might have been less accurate in the investigation carried out by the first group of scientists.	
	1	
	2	
		[2]
(iii)	Suggest <b>and</b> explain reasons why, in the 21st Century, only 10% of the gene loci are polymorphic in wild populations of cheetah.	;
		. [3]

23 The diagram shows the change in hydrostatic pressure across a capillary network in muscle tissue.



- (a) (i) On the diagram, draw an arrow to show the direction of movement of blood through the capillary network. [1]
  - (ii) On the diagram, draw an arrow to show the direction in which oncotic pressure is acting and suggest a value for oncotic pressure.

Write the value for oncotic pressure next to the arrow.

[2]

(iii) Name the structure labelled **W**.

	[1
b)	Describe how oncotic pressure is established.


### 19 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

24 A student is investigating how sucrose is loaded into phloem sieve tubes by companion cells, using a model of phloem tissue.

To create the model, the student added distilled water to a bag made from Visking tubing (an artificial partially permeable membrane). They inserted a capillary tube into one end of the Visking tubing and connected the other end to a flask containing 2 mol dm<sup>-3</sup> sucrose solution.

They placed the Visking tubing and connected flask into a beaker of distilled water, as shown in the diagram.



The capillary tube, the flask and the beaker of distilled water represent plant tissues involved in the active loading of sucrose. The Visking tubing represents the cell surface membrane of the phloem sieve tube.

The student opens the tap on the flask and the level of the coloured water in the capillary remains the same. After a few minutes, the water level in the capillary tube starts to rise. The tap is then closed after 5 minutes.

(a)	(i)	Describe what happens inside the model, immediately after the tap on the flask is opened.
		[1]

	(ii)	Explain why the water level in the capillary tube starts to rise after a few minutes.
		[2]
	(iii)	With reference to the diagram, name the plant cells or tissues that are represented by:
		The capillary tube
		——————————————————————————————————————
		The beaker of distilled water
		The flask
		The hask
		[3]
(b)		student measured the increase in the level of the coloured liquid in the capillary tube 2 minutes. It had risen by 8 mm. The capillary tube has a diameter of 1 mm.
	Calc	culate the rate of osmosis as the volume of water moved per second.
	Use	
		the formula: Volume of cylinder = $\pi r^2 l$
		the formula: Volume of cylinder = $\pi r^2 l$
		the formula: Volume of cylinder = $\pi r^2 l$
		the formula: Volume of cylinder = $\pi r^2 l$
		the formula: Volume of cylinder = $\pi r^2 l$
		the formula: Volume of cylinder = $\pi r^2 l$
		the formula: Volume of cylinder = $\pi r^2 l$
		the formula: Volume of cylinder = $\pi r^2 l$ Rate of osmosis =


25	(a)	Water molecules are transported in the stem of a sunflower. Water molecules are polar and
		are therefore attracted to each other.

(i) Draw two water molecules and label the bond between the two molecules.

how the properties of water are related to the transport role of water in a stem.	(ii)
[3]	

[3]

(b) The photomicrograph is of a transverse section of a stem of a sunflower, *Helianthus annuus*.



	(i)	On the photomicrograph, label the location of meristem tissue.	[2]
	(ii)	Name the type of microscope used to produce the photomicrograph <b>and</b> explain the reasons for your choice.	
		Name of microscope	
		Reasons for your choice	
			[3]
(c)	Ехр	lain the role of meristem tissue in a stem.	
			••••
			[2]
(d)	Nan	me <b>one</b> potential use of stem cells in medicine.	
			[1]

## 24 ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).			



#### **Copyright Information**

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of Cambridge University Press & Assessment, which is itself a department of the University of Cambridge.