

2.

In this question you must show all stages of your working.**Solutions relying on calculator technology are not acceptable.**

A particle is moving along a straight line.

At time t seconds, $t > 0$, the velocity of the particle is $v \text{ ms}^{-1}$, where

$$v = 2t - 7\sqrt{t} + 6$$

- (a) Find the acceleration of the particle when $t = 4$ (3)

When $t = 1$ the particle is at the point X .When $t = 2$ the particle is at the point Y .Given that the particle does not come to instantaneous rest in the interval $1 < t < 2$

- (b) show that $XY = \frac{1}{3}(41 - 28\sqrt{2})$ metres. (4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



3. [In this question, \mathbf{i} and \mathbf{j} are perpendicular unit vectors in a horizontal plane.]

A particle P is moving on a smooth horizontal surface under the action of two forces.

Given that

- the mass of P is 2 kg
- the two forces are $(2\mathbf{i} + 4\mathbf{j})\text{N}$ and $(c\mathbf{i} - 2\mathbf{j})\text{N}$, where c is a constant
- the magnitude of the acceleration of P is $\sqrt{5}\text{ms}^{-2}$

find the two possible values of c .

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



4.




Figure 2

Figure 2 shows a car towing a trailer along a straight horizontal road.

The mass of the car is 800 kg and the mass of the trailer is 600 kg.

The trailer is attached to the car by a towbar which is parallel to the road and parallel to the direction of motion of the car and the trailer.

The towbar is modelled as a light rod.

The resistance to the motion of the car is modelled as a constant force of magnitude 400 N.

The resistance to the motion of the trailer is modelled as a constant force of magnitude R newtons.

The engine of the car is producing a constant driving force that is horizontal and of magnitude 1740 N.

The acceleration of the car is 0.6 ms^{-2} and the tension in the towbar is T newtons.

Using the model,

(a) show that $R = 500$ (3)

(b) find the value of T . (3)

At the instant when the speed of the car and the trailer is 12.5 ms^{-1} , the towbar breaks.

The trailer moves a further distance d metres before coming to rest.

The resistance to the motion of the trailer is modelled as a constant force of magnitude 500 N.

Using the model,

(c) show that, after the towbar breaks, the deceleration of the trailer is $\frac{5}{6} \text{ ms}^{-2}$ (1)

(d) find the value of d . (3)

In reality, the distance d metres is likely to be different from the answer found in part (d).

(e) Give two **different** reasons why this is the case. (2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



