

| Please write clearly in | n block capitals. |
|-------------------------|--------------------------------|
| Centre number | Candidate number |
| Surname | |
| Forename(s) | |
| Candidate signature | I declare this is my own work. |

GCSE PHYSICS

Н

Higher Tier Paper 1

Wednesday 22 May 2024 Morning Time allowed: 1 hour 45 minutes

Materials

For this paper you must have:

- a ruler
- · a scientific calculator
- the Physics Equations Sheet (enclosed).

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- In all calculations, show clearly how you work out your answer.

Information

- The maximum mark for this paper is 100.
- · The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

| For Examiner's Use | | |
|--------------------|------|--|
| Question | Mark | |
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |
| 8 | | |
| 9 | | |
| 10 | | |
| TOTAL | | |



Answer all questions in the spaces provided.

0 1 Figure 1 shows a wind turbine.

Figure 1



Wind turbines may generate electricity when the electricity is not needed.

Two methods that can be used to store the energy from the turbine are:

Method A: Heating water to a high temperature.

Method B: Pumping water uphill into a reservoir.

0 1.1 Which energy store increases when water is heated?

[1 mark]

0 1. 2 Which energy store increases when water is pumped uphill into a reservoir?

[1 mark]



0 1.3 Table 1 shows information about the two methods of storing energy.

Table 1

| Method | Energy stored per 100 kg of water in kJ | Percentage of stored energy wasted | Installation |
|--|---|------------------------------------|-------------------|
| A: Increasing water temperature by 80 °C | 33 600 | 40% | Anywhere |
| B : Pumping water uphill to a height of 500 m | 490 | 25% | High mountains |

| Compare the advantages and disadvantages of the two methods of storing t | energy. |
|--|-----------|
| Include calculations in your answer. | [4 marks] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Question 1 continues on the next page



| Do not write |
|--------------|
| outside the |
| hov |

| 0 1.4 | Decreasing the amount of carbon dioxide released by different activities will help slow down climate change. | |
|-------|--|---|
| | Transport and generating electricity are the two activities that released the largest amounts of carbon dioxide in the UK in 2018. | |
| | Explain one change that would reduce the amount of carbon dioxide released by each activity. [4 marks] | |
| | Transport | |
| | | |
| | | |
| | Generating electricity | |
| | | |
| | | L |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |




0 2

The process of nuclear fission is used in nuclear power stations.

Figure 2 shows the process of nuclear fission.

Figure 2



0 2 . 1 Complete the sentences.

Choose answers from the box.

[3 marks]

| electrons | gamma rays | neutrons | nuclei | protons |
|----------------|-------------------------------|-------------------|-------------------|---------|
| | | | | |
| In nuclear pov | ver stations, energy is | released from | | |
| uranium | | | <u></u> . | |
| | | | | |
| The uranium i | n Figure 2 splits into | two parts and | | |
| releases three |) | | | |
| | | | | |
| The process of | of nuclear fission relea | ases electromagne | etic radiation in | the |
| form of | | | | |
| | | | | |



| ark] | Do not write outside the box |
|------|------------------------------------|
| rks] | |
| J | |
| rom | |

| | Use the Physics Equations Sheet to answer questions 02.2 and 02.3 . |
|-------|---|
| 0 2.2 | Write down the equation which links energy (<i>E</i>), power (<i>P</i>) and time (<i>t</i>). [1 mark] |
| 0 2.3 | A nuclear power station has a power output of 500 MW. Calculate the energy output in 3600 s. Give your answer in J. [3 marks] |
| | Energy output = |
| 0 2.4 | Radioactive waste produced by nuclear power stations has a long half-life. Suggest one precaution taken to reduce the hazard caused by radioactive waste from power stations. [1 mark] |
| | |



| 0 2 . 5 | Nuclear power stations do not generate electricity every day of the year. | Do not write outside the box |
|---------|---|------------------------------------|
| | One nuclear power station generated electricity for 92% of a year. | |
| | one year = 365 days | |
| | Calculate the number of days during the year that the nuclear power station generated electricity. [2 marks] | |
| | | |
| | | |
| | | |
| | Number of days = | 10 |

Turn over for the next question




Turn over ▶

0 3

A student investigated how the length of a wire affects the resistance of the wire at constant temperature.

Figure 3 shows the circuit used.

Figure 3



| 0 3 . 1 | The student plotted a graph of resistance against the length of wire. Describe a method the student could have used to collect the data needed to plot the graph. | | |
|---------|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



| 0 3.2 | Which graph shows the relationship between the resistance of a wire at constant temperature and its length? [1 mark] Tick (✓) one box. |
|-------|--|
| | Resistance |
| | Resistance |
| | Resistance |
| | Question 3 continues on the next page |




| 0 3.3 | The student used a cell that had a potential difference of 1.50 V. | Do not write outside the box |
|-------|--|------------------------------------|
| | Explain why the cell was not an electrical hazard to the student in the investigation. [2 marks] | |
| | | |
| | | |
| | | 9 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |





Figure 4 shows a static electricity generator.

Figure 4



The rubber belt is turned by a motor.

As the rubber belt moves, charge is transferred from the rubber belt to the metal dome.

Question 4 continues on the next page



0 4 . 1

Figure 5 shows a student touching the metal dome of the static electricity generator.

The dome is negatively charged.

Figure 5



Explain why the student's hair stands up on end.

[3 marks]




| | The charged metal dome creates an electric field. | Do not write outside the box |
|---------|--|------------------------------------|
| 0 4.2 | What is an electric field? [1 mark] | |
| | | |
| | | |
| 0 4 . 3 | How does the electric field strength vary as the distance from the charged metal dome increases? [1 mark] | |
| | | |
| | Question 4 continues on the next page | |
| | | |
| | | |
| | | |
| | | |
| | | |



Do not write outside the box

Figure 6 shows the negatively charged metal dome and an earthed conductor.





When the earthed conductor is moved towards the metal dome, there is a spark between the dome and the earthed conductor.

The spark transfers 0.60 J of energy, and 2.0 µC of charge is transferred from the dome to the earthed conductor.

Calculate the potential difference between the metal dome and the earthed conductor.

Use the Physics Equations Sheet.

[4 marks]

Potential difference =



| 0 4.5 | Which of the following changes would increase the distance a spark can jump between the dome and the earthed conductor? Tick (✓) one box. Decreased charge on the metal dome Decreased electric field strength Decreased electrical resistance of air | mark] | Do not write outside the box |
|-------|---|-------|------------------------------------|
| | Decreased potential difference | | 10 |
| | Turn over for the next question | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



0 5

Figure 7 shows a student putting a coin into a vending machine that sells food.

Figure 7



| 0 | 5 | . 1 | The vending machine is connected to the mains electricity | supply. |
|---|---|-----|--|---------|
| _ | _ | | The vending machine to confidence to the maine electricity | CAPPI |

What is the frequency and the potential difference of the mains electricity supply in the UK?

[2 marks]

| Frequency = | Hz |
|-------------|----|
| Frequency = | Hz |


Potential difference = _____V



| | The vending machine identifies the value of the coin by measuring the resistance of the coin. |
|-------|--|
| 0 5.2 | The power dissipated by the coin is 340 mW when the current in the coin is 0.75 A. Calculate the resistance of the coin. Use the Physics Equations Sheet. [4 marks] |
| | |
| | |
| | Resistance = Ω |
| 0 5.3 | Coins that are dirty are not recognised by the vending machine. Suggest one reason why. [1 mark] |
| | |
| | Question 5 continues on the next page |
| | |



Figure 8 shows part of a different circuit that is used to monitor the temperature inside the vending machine.



0 5.4 The circuit symbol for a thermistor has not been included.

Draw the circuit symbol for a thermistor in the box below.

[1 mark]







Figure 9 shows how the resistance of the thermistor varies with temperature.







0 5 . 5 The cooling system inside the vending machine turns on when the temperature of the thermistor is above 20 °C.

Determine the potential difference across the thermistor when the temperature is 20 °C.


Use the Physics Equations Sheet.

| 1 | [5 | m | 21 | rk | e i |
|---|------------|-----|----|----|-----|
| | IJ | 111 | aı | n | 3 |

Potential difference = V

13






In a ride at a theme park, a person is strapped into a pod that is attached to two stretched bungee cords.

The bungee cords behave like springs.

Figure 10 shows a person using the ride.

Figure 10



0 6.1 Which energy store increases as the bungee cords are stretched?

[1 mark]



| Maximum height = m Maximum height = m The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | |
|--|-------|---|
| The spring constant of each bungee cord is 735 N/m. The mass of the pod is 240 kg. gravitational field strength = 9.8 N/kg Calculate the maximum height reached by the pod. Use the Physics Equations Sheet. [6 marks] Maximum height = m Maximum height = m The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. |]. 2 | When the pod is released, the pod accelerates upwards. |
| The mass of the pod is 240 kg. gravitational field strength = 9.8 N/kg Calculate the maximum height reached by the pod. Use the Physics Equations Sheet. [6 marks] Maximum height = m Maximum height = m The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | Before the pod is released the extension of each of the two bungee cords is 8.0 m. |
| gravitational field strength = 9.8 N/kg Calculate the maximum height reached by the pod. Use the Physics Equations Sheet. [6 marks] Maximum height = m 6.3 The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | The spring constant of each bungee cord is 735 N/m. |
| Calculate the maximum height reached by the pod. Use the Physics Equations Sheet. [6 marks] Maximum height = m The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | The mass of the pod is 240 kg. |
| Use the Physics Equations Sheet. [6 marks] Maximum height = m 6]. 3 The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | gravitational field strength = 9.8 N/kg |
| Maximum height =m Maximum height be lower than the correct answer to Question 06.2 Explain why. | | Calculate the maximum height reached by the pod. |
| The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | |
| The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | |
| The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | |
| The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | |
| The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | |
| The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | |
| The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | |
| The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | |
| The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. | | |
| to Question 06.2 Explain why. | | |
| | | |
| |].[3] | The actual maximum height reached by the pod will be lower than the correct answer |
| |].[3] | The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 |
| |].[3] | The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. |
| |].[3] | The actual maximum height reached by the pod will be lower than the correct answer to Question 06.2 Explain why. |




Turn over ▶

| sed | Do not write outside the box |
|-------|------------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| ater. | |
| /ith | |
| nark] | |
| | |
| | |
| | |
| | |
| | |

Figure 11 shows a measuring cylinder containing some water, which a student used to measure the volume of a metal ring.

Figure 11



 0 7 . 1
 When measuring the volume, the student's eye was in line with the level of the water.

 Which type of error would have been caused if the student's eye was not in line with the level of the water?

 [1 mark]

 Tick (✓) one box.

 Random error

 Systematic error

 Zero error



| | | Do mot |
|-------|---|------------------------------|
| 0 7.2 | The student tied a piece of thick string to the metal ring and lowered the ring into the water. | Do not write outside the box |
| | Suggest one reason why the student should have used thin string instead of | |
| | thick string. [1 | mark] |
| | | |
| | | |
| | | |
| | | |
| | Overtion 7 continues on the next name | |
| | Question 7 continues on the next page | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Table 2 shows the results.

Table 2

| Volume of water in cm ³ | Volume of water and ring in cm ³ | Volume of ring in cm ³ |
|------------------------------------|---|-----------------------------------|
| 5.0 | 5.4 | 0.4 |

| 0 7.3 | The true volume of the ring was 0.44 cm ³ . |
|-------|--|
| | Even without using the string, the measuring cylinder could not give an accurate value for the volume of the ring. |
| | Give one reason why. [1 mark] |
| | |
| | |
| | |
| 0 7.4 | The student used a balance to measure the mass of the ring. |
| | After the ring was removed from the balance, the reading on the balance was 0.02 g. |
| | How could the student use the readings from the balance to determine the correct mass of the ring? |
| | [1 mark] |
| | |
| | |
| | |
| | |



| | | Do not write outside the |
|---------|--|--------------------------|
| 0 7 . 5 | The student determined that the density of the ring was 21 500 kg/m ³ . | box |
| | The volume of the ring was 0.44 cm ³ . | |
| | Calculate the mass of the ring. | |
| | Use the Physics Equations Sheet. | |
| | Give your answer in kg. [4 marks] | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Mass = kg | 8 |
| | Turn over for the mark guardian | |
| | Turn over for the next question | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

2 5


Turn over ▶

| 1 | | |
|---|---|---|
| | ^ | 6 |
| | U | O |

A student investigated how the pressure in a fixed mass of air varies with the volume of the air.

Figure 12 shows the equipment used.

Figure 12



| 0 8 | <u> </u> | 1 | When the plunger was pushed slowly into the syringe, the pressure in the |
|-----|----------|---|--|
| | | | syringe increased. |

The temperature of the air remained constant.

Explain why the pressure increased.


| [3 marks] |
|-----------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |



A fire piston is a special type of syringe that can be used to start fires.

Figure 13 shows a fire piston.

Figure 13



The plunger is pushed quickly downwards and compresses the air.

When the air is compressed quickly, the temperature of the air increases.

| 0 8 . 2 | How does an increase in temperature affect the air parti | cles inside the piston? |
|---------|--|-------------------------|
| | Tick (✓) one box. | [1 mark] |
| | The mean kinetic energy of the particles increases. | |

The mean potential energy of the particles increases.

The mean separation of the particles increases.





| 0 8 . 3 | When the air is hot enough, a small piece of cotton wool in the piston catches fire. | Do not write outside the box |
|---------|--|------------------------------|
| 0 0 . 3 | | 20% |
| | The energy transferred to the air in the piston is 0.0130 J. | |
| | The mass of air in the piston is 2.60×10^{-8} kg. | |
| | specific heat capacity of air = 1.01 kJ/kg °C | |
| | Calculate the temperature change of the air. | |
| | | |
| | Use the Physics Equations Sheet. [4 marks] | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | Temperature change =°C | 8 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



Turn over for the next question DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED




Turn over ▶

0 9

A teacher investigated the radiation emitted by two different radioactive sources, **A** and **B**.

Figure 14 shows a radiation detector positioned near one of the radioactive sources.


Figure 14



The teacher measured the count rate at different distances for each radioactive source.

Figure 15 shows the results.

Figure 15





| 0 9.1 | Explain how Figure 15 shows that Source A only emits alpha radiation. | [3 marks] |
|------------|--|--------------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| 0 9 . 2 | Figure 15 can not be used to determine if Source B emits beta radiation or gamma radiation. | |
| | Explain how an absorbing material could be used to show which type of radi emitted by Source B . | ation is [2 marks] |
| | | |
| | | |
| | | |
| | Question 9 continues on the next page | |
| | | |




Turn over ▶

| | The teacher took safety precautions during the experiment. | | Do not write outside the box |
|-------|--|----------|------------------------------------|
| 0 9.3 | Suggest one safety precaution the teacher would have taken to reduce the radiation dose the teacher received. | [1 mark] | |
| 0 9.4 | Suggest one safety precaution that the teacher would have taken to avoid becoming contaminated. | [1 mark] | |
| | | | |
| | | | |
| | | | |
| | | | |



0 9 . 5 Figure 16 shows how the number of atoms of a radioactive element in a sample varied with time.





Activity is the rate at which a source of unstable nuclei decays.

Determine the activity of the radioactive sample at 300 seconds.

Give the unit.

[4 marks]

Activity = Unit

11




1 0 The live wire in a three-core cable is connected to a fuse inside a plug.

A fuse contains a wire that is designed to melt when the current gets too great.

Figure 17 shows a fuse.

Figure 17



1 0 . 1 What colour is the insulation covering the live wire in a three-core cable?

[1 mark]

Draw the circuit symbol for a fuse in the box below.


[1 mark]

| 1 0.3 | The fuse wire melts when there is a charge flow of 2.0 C for 400 ms. | |
|-------|---|------------|
| | Calculate the current in the fuse wire. | |
| | Use the Physics Equations Sheet. | [4 marks] |
| | | |
| | | |
| | | |
| | Current = | A |
| 1 0.4 | When the fuse wire is at its melting point, the additional energy needed to wire is 1.02 J. | o melt the |
| | specific latent heat of fuse wire = 60 kJ/kg | |
| | Calculate the mass of the fuse wire. | |
| | Use the Physics Equations Sheet. | [4 marks] |
| | | |
| | | |
| | | |
| | Mass = | kg |
| | Question 10 continues on the next page | |



| | | Do not write |
|-------|---|-----------------|
| 1 0.5 | The calculation in Question 10.4 assumes there is no energy transferred to the surroundings. | outside the box |
| | How would the time taken for the wire to melt be affected if some energy was transferred to the surroundings? | |
| | Give a reason for your answer. [2 marks] | |
| | Tick (✓) one box. | |
| | Time taken would decrease | |
| | Time taken would stay the same | |
| | Time taken would increase | |
| | Reason | - |
| | | 12 |
| | | |
| | END OF QUESTIONS | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |







| Question number | Additional page, if required. Write the question numbers in the left-hand margin. |
|-----------------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| Question number | Additional page, if required. Write the question numbers in the left-hand margin. |
|--------------------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| Question number | Additional page, if required. Write the question numbers in the left-hand margin. |
|-----------------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | Copyright information For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk. |
| | Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team. |
| | Copyright © 2024 AQA and its licensors. All rights reserved. |



