




Oxford Cambridge and RSA

**Friday 17 May 2024 – Morning**

**GCSE (9–1) Chemistry A (Gateway Science)**

**J248/01 (Foundation Tier)**

**Time allowed: 1 hour 45 minutes**



**You must have:**

- a ruler (cm/mm)
- the Data Sheet for GCSE (9–1) Chemistry A (inside this document)

**You can use:**

- a scientific or graphical calculator
- an HB pencil



Please write clearly in black ink. **Do not write in the barcodes.**

Centre number

|  |  |  |  |  |
|--|--|--|--|--|
|  |  |  |  |  |
|--|--|--|--|--|

Candidate number

|  |  |  |  |
|--|--|--|--|
|  |  |  |  |
|--|--|--|--|

First name(s)

Last name

**INSTRUCTIONS**

- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined page at the end of this booklet. The question numbers must be clearly shown.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

**INFORMATION**

- The total mark for this paper is **90**.
- The marks for each question are shown in brackets [ ].
- Quality of extended response will be assessed in questions marked with an asterisk (\*).
- This document has **28** pages.

**ADVICE**

- Read each question carefully before you start your answer.

2

Section A

You should spend a **maximum** of **30 minutes** on this section.

Write your answer to each question in the box provided.

1 Which part of an atom is **negatively** charged?

- A Electron
- B Neutron
- C Nucleus
- D Proton

Your answer

[1]

2 Which of these changes is a **chemical** change?

- A Ice melting
- B Shaping hot metal with a hammer
- C Water condensing
- D Wood burning

Your answer

[1]

3 Which group of elements on the Periodic Table has a full outer shell of electrons?

- A 0
- B 1
- C 2
- D 7

Your answer

[1]

3

- 4 Sodium chloride,  $\text{NaCl}$ , is an ionic compound.

How are the ions held together in sodium chloride?


- A Covalent bonds
- B Delocalised electrons
- C Electrostatic forces
- D Intermolecular forces

Your answer


[1]

- 5 Which equipment is used for **filtration**?


A




B



C



D



Your answer

[1]

- 6 Which scientist suggested the idea that electrons exist in electron shells?
- A Bohr
  - B Dalton
  - C Rutherford
  - D Thomson

Your answer

[1]

- 7 Which row describes a **formulation**?

|   | Description | Amount of chemicals |
|---|-------------|---------------------|
| A | compound    | exact               |
| B | mixture     | exact               |
| C | compound    | random              |
| D | mixture     | random              |

Your answer

[1]

- 8 The table shows information about some atoms and ions.

Which two are **isotopes**?

| Atom or ion | Number of protons | Number of neutrons | Number of electrons |
|-------------|-------------------|--------------------|---------------------|
| 1           | 17                | 18                 | 17                  |
| 2           | 17                | 18                 | 18                  |
| 3           | 17                | 20                 | 17                  |
| 4           | 18                | 20                 | 18                  |


- A 1 and 2
- B 1 and 3
- C 2 and 4
- D 3 and 4

Your answer


[1]

9 Which dot and cross diagram shows the structure of a fluorine molecule,  $F_2$ ?


A




B



C







D



Your answer

[1]


10 What is the balanced symbol equation for the reaction of methane with oxygen?



Your answer

[1]

11 11.0g of aluminium reacts with 43.4 g of chlorine to make 54.4 g of aluminium chloride.



How much **aluminium** is required to make 217.6 g of aluminium chloride?

- A 22.0g
- B 44.0g
- C 86.8g
- D 173.6g

Your answer  [1]

12 The table shows the start and end temperatures of four reactions.


Which reaction is endothermic?

|   | Temperature at start (°C) | Temperature at end (°C) |
|---|---------------------------|-------------------------|
| A | 19.0                      | 19.0                    |
| B | 19.0                      | 15.2                    |
| C | 20.0                      | 23.2                    |
| D | 20.0                      | 21.0                    |


Your answer  [1]

13 Which reaction profile shows an **exothermic** reaction with the arrow marking the activation energy?


A




B



C



D



Your answer

[1]


14 The electrolysis of molten copper chloride makes copper metal and chlorine gas.

Which row describes what happens to the inert electrodes during the electrolysis of molten copper chloride?

- A Mass of both electrodes decreases
- B Mass of both electrodes increases
- C Mass of one electrode increases, mass of one electrode decreases
- D Mass of one electrode increases, mass of one electrode stays the same

Your answer ☐ [1]

15 The diagram shows the electrolysis of molten sodium chloride.



Which products are made in the electrolysis of molten sodium chloride?

|   | Product at anode | Product at cathode |
|---|------------------|--------------------|
| A | chlorine         | hydrogen           |
| B | chlorine         | sodium             |
| C | hydrogen         | chlorine           |
| D | sodium           | chlorine           |

Your answer ☐ [1]

**BLANK PAGE**

**PLEASE DO NOT WRITE ON THIS PAGE**

10  
Section B


16 Water boils at 100 °C and freezes at 0 °C.

(a) Draw lines to connect each **temperature** with the **particle model** of water.


Temperature

Particle Model


-5 °C



25 °C




110 °C



[2]

(b) Water, H<sub>2</sub>O, contains hydrogen and oxygen atoms.



(i) How many protons does an oxygen atom have?

..... [1]


(ii) How many neutrons does a hydrogen atom have?

..... [1]

(iii) What is the relative charge of a proton?

..... [1]

(c) A water molecule can be represented with different models.



Which model would you use to show the **volume** of a water molecule?


Explain your answer.

Model .....

Reason .....

..... **[2]**

(d) Water is formed from the reaction of hydrogen, H<sub>2</sub>, and oxygen, O<sub>2</sub>.



Hydrogen is **oxidised** in the reaction.

Explain how you can tell from the equation.

..... **[1]**

17 A student investigates a neutralisation reaction between an acid and an alkali.

(a) Complete the sentences about how the student investigates the neutralisation reaction.

Use words from the list.

|             |               |                    |
|-------------|---------------|--------------------|
| Clamp stand | Conical flask | Measuring cylinder |
| pH meter    | Pipette       | Thermometer        |

The student uses a ..... to measure the volume of acid.

They use a ..... to test the pH of the acid.

[2]

(b) The student adds universal indicator to the acid.

The student predicts the colour change they think will happen when they add the alkali to the acid.

|                                                         |        |
|---------------------------------------------------------|--------|
| Colour of indicator before alkali is added              | Red    |
| Colour of indicator when solution is neutral            | Green  |
| Colour of indicator when too much alkali has been added | Yellow |

Do you agree with the student?

Tick (✓) **one** box.

The student is completely correct.

☐

The student is partly correct.

☐

The student is completely incorrect.

☐

Explain your answer.

.....

.....

.....

[3]

(c) The table shows the volume of alkali the student adds in each experiment.

| Experiment | Volume of alkali added (cm <sup>3</sup> ) |
|------------|-------------------------------------------|
| 1          | 24.2                                      |
| 2          | 24.4                                      |
| 3          | 23.9                                      |
| 4          | 24.0                                      |

Calculate the mean volume of alkali added.

Give your answer to **3** significant figures.

Mean volume of alkali added = ..... cm<sup>3</sup> [3]

(d) Complete the **word** equation for a neutralisation reaction.

acid + alkali → ..... + ..... [2]


(e) Which **two** ions react together in neutralisation reactions to form H<sub>2</sub>O?

Put a ring around **two** ions.

Cl<sup>+</sup>      Cl<sup>-</sup>      H<sup>+</sup>      H<sup>-</sup>      OH<sup>+</sup>      OH<sup>-</sup> [1]

18

(a) The diagram shows how a town is recycling plastic waste.



The town generates a total of 45 000 kg of plastic waste in a year.

Calculate the mass of plastic waste that is **not able to be recycled** in the town.

Mass of plastic waste not able to be recycled = ..... kg [3]

(b) Plastics are polymers. Polymers have covalent bonds between the atoms.

(i) Explain what a **covalent bond** is in terms of electrons.

.....  
..... [1]


(ii) Describe **two** differences between a polymer used to make a plastic bag and a polymer used to make a plastic bottle.

1 .....  
.....  
2 .....  
..... [2]

(c) A scientist wants to choose a polymer that is suitable for making a plastic ruler.

The scientist says that a polymer that stretches will **not** be suitable for making a ruler.

The diagram shows the ruler before and after stretching.



Explain why the scientist is **correct**.

.....

.....

.....

[2]

(d) The properties of four different polymer samples are shown in the table.

| Polymer | Melting point of sample (°C) | Distance the sample stretches before breaking (cm) |
|---------|------------------------------|----------------------------------------------------|
| PET     | 260                          | 0.0                                                |
| PVC     | 110                          | 12.5                                               |
| PS      | 240                          | 0.1                                                |
| PE      | 125                          | 10.4                                               |

(i) Describe the relationship between the melting point of the sample and the distance the sample stretches before breaking.

.....

.....

[1]

(ii) The molecular formula of the monomer used to make PET is C<sub>10</sub>H<sub>10</sub>O<sub>5</sub>.

State the **empirical** formula of the monomer used to make PET.

.....

[1]

19

- (a) A student investigates the reaction between sodium carbonate,  $\text{Na}_2\text{CO}_3$ , and sulfuric acid,  $\text{H}_2\text{SO}_4$ .

Sodium sulfate, water and carbon dioxide are made.

- (i) Complete the **balanced symbol** equation for the reaction.




- (ii) Sulfuric acid has the state symbol (aq).

What does (aq) mean?

..... [1]

- (iii) One of the products is a gas. The student wants to collect the gas formed.

Complete the diagram to show how they can collect and measure the volume of gas.




[2]

(b) The table shows the student's results.

| Time (minutes) | Volume of gas collected (cm <sup>3</sup> ) |
|----------------|--------------------------------------------|
| 0              | 0.0                                        |
| 2              | 2.0                                        |
| 4              | 3.5                                        |
| 6              | 4.4                                        |
| 8              | 4.9                                        |
| 10             | 5.1                                        |
| 12             | 5.1                                        |
| 14             | 5.1                                        |

(i) Plot the results from the table on the graph.

Six points have already been plotted. [1]



(ii) Draw a curve of best fit. [1]

(iii) Use the graph to estimate the volume of gas that has been collected at 7.5 minutes.

Volume of gas collected = ..... cm<sup>3</sup> [1]

(iv) The student collects  $5.1 \text{ cm}^3$  of gas.

The student wants to collect more gas.

How does the student change the experiment so that more gas is collected?

Tick (✓) **one** box.

Use a larger conical flask

☐

Use less sodium carbonate

☐

Use less sulfuric acid

☐


Use more sulfuric acid

☐

[1]

**PLEASE DO NOT WRITE ON THIS PAGE**

(a)\* A Periodic Table is shown with two sections, **A** and **B**.



In your answer, describe the differences in the **physical** properties of elements in sections **A** and **B**.

..... [6

(b) In his Periodic Table, Mendeleev noticed that when elements were arranged in order of atomic mass, some elements seemed to be in the wrong place.

Complete the sentences about Mendeleev’s Periodic Table.

Use words from the list.

|                    |                   |          |            |
|--------------------|-------------------|----------|------------|
| had the wrong mass | left gaps for     | neutrons | properties |
| reweighed          | were undiscovered |          |            |


Mendeleev grouped the elements according to their .....

He predicted that some elements .....

He ..... these elements.

[3]

(c) Lithium is in Group 1 of the Periodic Table and helium is in Group 0.



Explain why Group 1 elements are reactive, but Group 0 elements are unreactive.

.....

.....

.....

..... [2]

21 A carbon atom is  $1.7 \times 10^{-10}\text{m}$  wide.

A diamond is  $4.0 \times 10^{-3}\text{m}$  wide.

(a) How many **orders of magnitude** larger is the diamond than the carbon atom?

Tick (✓) **one** box.


Two ☐ Four ☐ Seven ☐ [1]

(b) Calculate the number of carbon atoms that fit in the width of the diamond.

Give your answer in **standard form** to **1** decimal place.

Number of carbon atoms = ..... [3]

(c) The diagram shows the structure of diamond.



Explain why diamond **cannot** conduct electricity.

.....  
.....  
.....  
..... [2]

(d) Some properties of forms of carbon are shown in the table.

| Form of carbon | Conducts electricity? | Conducts heat? | Melting point |
|----------------|-----------------------|----------------|---------------|
| X              | yes                   | yes            | very high     |
| Y              | no                    | yes            | high          |
| Z              | no                    | no             | very high     |

(i) Which form of carbon should you choose to use as an electrode in an electrolysis experiment with a molten electrolyte?

Explain your answer.

Form of carbon .....

Reason .....

.....

[2]

(ii) All of the melting points in the table are high.

Why is it important that electrodes used in a **molten** electrolyte have a high melting point?

Tick (✓) **one** box.

Electrodes need to remain liquid, and not freeze at low temperatures

☐

Electrodes need to remain liquid, and not melt at high temperatures

☐

Electrodes need to remain solid, and not freeze at low temperatures

☐

Electrodes need to remain solid, and not melt at high temperatures

☐

[1]

22

(a) A scientist investigates dissolving four different tablets in water.

Each tablet has a different surface area.

They add each tablet to 20 cm<sup>3</sup> of water and time how long it takes for the tablet to dissolve.

The table shows their results.

| Tablet | Surface area of tablet (cm <sup>2</sup> ) | Volume of tablet (cm <sup>3</sup> ) | Surface area to volume ratio | Time taken to dissolve (seconds) |
|--------|-------------------------------------------|-------------------------------------|------------------------------|----------------------------------|
| A      | 2.8                                       | 0.3                                 | 9.33 : 1                     | 43                               |
| B      | 2.5                                       | 0.2                                 | 12.5 : 1                     | 27                               |
| C      | 1.5                                       | 0.2                                 |                              | 62                               |
| D      | 3.0                                       | 0.2                                 | 15.0 : 1                     |                                  |

(i) Calculate the surface area to volume ratio of tablet C.

Surface area to volume ratio = ..... [2]

(ii) Complete the sentence to describe the relationship between the surface area to volume ratio and the time taken to dissolve.

As the surface area to volume ratio ..... ,  
the tablet will take ..... time to dissolve. [1]

(iii) The scientist thinks that tablet D will dissolve **slowest** in 20cm<sup>3</sup> of water.


Explain why the scientist is **incorrect**.  
.....  
.....  
..... [2]

- (b) The scientist performs thin layer chromatography on solutions of each of the tablets.
- (i) The spots on the chromatogram are **colourless**.

State what the scientist could use to see the spots.

..... [1]

- (ii) After the scientist uses a method to see the spots, the chromatogram for Tablet A is shown.



Calculate the  $R_f$  value for the spot seen from tablet A.

$R_f$  value = ..... [3]

23 A student wants to separate a mixture of compounds.

Different separation methods are used depending on the mixture.


(a) Draw lines to connect each **separation method** to the correct **mixture**.

| Separation method       | Mixture                                                   |
|-------------------------|-----------------------------------------------------------|
| Crystallisation         | Insoluble solid and liquid                                |
| Filtration              | Solution containing a soluble solid dissolved in a liquid |
| Fractional distillation | Three liquids with different boiling points               |

[2]

(b) The student decides to use simple distillation to separate a mixture.

They set up the apparatus shown in the diagram.



(i) A liquid in the mixture is **flammable**.

Suggest a change the student could make to the apparatus to make the distillation safer.

.....  
..... [1]

- (ii) The student wants to record the boiling point of the pure liquid that is collected in the collection flask.

Suggest an improvement the student could make to the apparatus so that they can record the boiling point.

.....  
..... [1]

- (c) The pure liquid collected has the molecular formula  $(C_2H_5)_2O$  and a boiling point of  $35^\circ C$ .

Which statements about the pure liquid are **correct**?

Tick (✓) **two** boxes.

The empirical formula is  $CH_2$ .

☐

The melting point is lower than  $35^\circ C$ .

☐

The pure liquid contains two compounds.

☐

The pure liquid is an element.

☐

The pure liquid will be a gas at above  $35^\circ C$ .

☐

[2]

- (d) Calculate the relative formula mass of a  $(C_2H_5)_2O$  molecule.

Relative atomic mass ( $A_r$ ): C = 12.0 H = 1.0 O = 16.0

Relative formula mass = ..... [3]

**END OF QUESTION PAPER**

